

FORT WALKER DEER HARVEST REPORT 2023 - 2024



Fort Walker 2023-2024 Deer Harvest Report

The 2023-24 total deer harvest for Fort Walker (FWVA) was 526, which is up from the 2022-2023 season harvest of 410 (28%). There were 360 (68%) bucks and 166 (32%) does harvested. The number of hunting trips decreased from 8,640 (2022) to 8,353 (2023). The number of hours to harvest a deer decreased from 118.8 hours (2022) to 96.6 hours (2023). A more in-depth review of the harvest data can be found in the data section of this report.

2023-24 Hunting Season Review

This past fall's oak acorn crop was poor for white oak acorns and fair to good for red oak acorns across the installation. Body weights and antler size have been comparable over the last two seasons which was due to the above average mast crop productions in the prior two seasons. The increase in harvest was expected, as there were more either-sex hunting days.

This past year was our second highest harvest since the 2013-2014 season, with the most bucks harvested since 2013-2014, and the third highest doe harvest since 2013-2014. We feel good about the state of the deer herd and will continue to increase either-sex hunting days.

We placed an emphasis on failed check-outs last season due to it being our number one violation. The number of failed checkouts dropped from 27 in the 2022-2023 season to 8 this past season. That is a 70% decrease, and we want to continue to remind users the importance of checking out on time.

There was no outbreak of Epizootic Hemorrhagic Disease (EHD) during the 2023-2024 deer season. This was expected as we had an outbreak of EHD during the 2022-2023 season and it typically cycles through the herd every 6-10 years.

Continue to monitor iSportsman throughout the year as this is our best way to communicate changes to regulations, gate closures, additional either-sex days, etc. This includes reading ALL acknowledgements before accepting them.

Bears and Feral Hogs

No bears were harvested on FWVA again this season. Bear sightings have remained consistent at 4-5 sightings per year. Bears were harvested for two consecutive seasons, one in 2012 and one in 2013. It is not believed there are resident bears calling FWVA their home currently.

No hog sightings have been reported in years. This is one of the most asked questions we receive each year from our recreational hunters. If a hunter does see a feral hog or feral hog sign, we ask that you report it immediately.

Expectations for Next Season

Next season's antler production and weights are expected to be mildly down due to this fall's poor to fair acorn production. The deer herd is in good condition and the expectation is another increase in harvest for next season.

The antlerless bag limit and the number of either-sex hunting days will increase for the 2024-2025 season. Hunters will be able to increase their doe harvest from three to five, archery tackle will be either-sex all season, and the number of either-sex days will increase. These changes are based on current deer herd conditions, but could be adjusted as conditions change (ex. EHD outbreak). There will be regulation changes so please read the 2024-2025 regulations from front to back.

There will be area boundary changes, recreational road changes, and a new specialized hunting area called "Archery/Shotshell Only Areas". This new specialized area will allow ONLY archery tackle, crossbows, and shotgun shotshells. Shotshells will ONLY be allowed for turkey, small game, and waterfowl. Muzzleloaders, rimfire rifles, shotgun slugs and buckshot are not allowed. This will address safety concerns while also increasing recreational opportunity. Hunters may target turkey, small game, and waterfowl with shotshells instead of limiting hunters to archery tackle only. These changes will result in an updated recreational map, so be sure your recreational map is always current.

"Archery/Shotshell Only" areas will be as followed: TA 7A, 7B, 22A, 26A, 30B, and CA27. TA 7A and 7B are included due to increased utilization of the Drop Zone. The areas surrounding the Drop Zone have been blanket closed when the Drop Zone is in use for safety concerns. By making these areas archery/shotshell only, they can be opened when the Drop Zone is in use, increasing recreational opportunity. TA 22A is included to address safety concerns with increased traffic, new units/training facilities, and recreational biking/walking/running routes.

The Fish & Wildlife Office has moved to Dirt Bridge, located next to Dirt Bridge Pond, at the intersection of Walker Drive and Rendezvous Dr. This will also be the location of the Game Check Station at the start of the 2024-2025 hunting season.

Please continue to report violations, sightings, or anything out of the ordinary as you are part of making Fort Walker a great experience for everyone. The violation that occurred most often this past season was weapons not encased while traveling. Reminder that ALL weapons must be fully encased while traveling. Also a reminder that random vehicle checks will be conducted more often, and all handguns are prohibited from Fort Walker.

We appreciate all your flexibility as we have experienced lots of change over the last year with the name change and now location change. Thank you for your support and assistance during this past season with managing the natural resources on FWVA. We look forward to seeing everyone during Deer Season.

Table 1: Harvest Totals and Percentage by Area and Sex

2023-2024	Harvest		% of Total Harvest
Males	360		68.4%
TA	246	68.3%	46.8%
CA	114	31.7%	21.7%
Females	166		31.6%
TA	99	59.6%	18.8%
CA	67	40.4%	12.7%
Total Harvest	526		100.0%
TA	345		65.6%
CA	181		34.4%

2022-2023	Harvest		% of Total Harvest
Males	291		71.0%
TA	186	63.9%	45.4%
CA	105	36.1%	25.6%
Females	119		29.0%
TA	61	51.3%	14.9%
CA	58	48.7%	14.1%
Total Harvest	410		100.0%
TA	247		60.2%
CA	163		39.8%

Table 2a: Age Distribution

Age Class	Male		Female		Total	
	NO.	(%)	NO.	(%)	NO.	(%)
0.5 year-olds (Fawns)	44	12.2%	27	16.3%	71	13.5%
1.5 year-olds (Yearlings)	37	10.3%	24	14.5%	61	11.6%
2.5 year-olds	106	29.4%	30	18.1%	136	25.9%
3.5 year-olds	68	18.9%	29	17.5%	97	18.4%
4.5 year-olds	54	15.0%	22	13.3%	76	14.4%
5.5 year-olds	34	9.4%	21	12.7%	55	10.5%
6.5 year-olds	10	2.8%	7	4.2%	17	3.2%
7.5 year-olds	0	0.0%	3	1.8%	3	0.6%
8.5 year-olds +	0	0.0%	0	0.0%	0	0.0%
Unknown	7	1.9%	3	1.8%	10	1.9%
Totals	360		166		526	

Table 2b: Age Distribution Historical Comparison

Age Class	Male			Female			Total		
	2023-2024	2022-2023	2021-2022	2023-2024	2022-2023	2021-2022	2023-2024	2022-2023	2021-2022
0.5 year-olds (Fawns)	12.2%	7.6%	9.7%	16.3%	10.1%	15.2%	13.5%	8.3%	11.5%
1.5 year-olds (Yearlings)	10.3%	15.5%	10.3%	14.5%	15.1%	11.0%	11.6%	15.4%	10.6%
2.5 year-olds	29.4%	17.5%	25.3%	18.1%	18.5%	18.6%	25.9%	17.8%	23.1%
3.5 year-olds	18.9%	25.8%	27.3%	17.5%	16.0%	17.9%	18.4%	22.9%	24.3%
4.5 year-olds	15.0%	19.2%	16.7%	13.3%	11.8%	15.2%	14.4%	17.1%	16.2%
5.5 year-olds	9.4%	8.2%	7.7%	12.7%	16.8%	13.1%	10.5%	10.7%	9.4%
6.5 year-olds	2.8%	3.1%	1.3%	4.2%	10.1%	6.2%	3.2%	5.1%	2.9%
7.5 year-olds	0.0%	0.3%	30.0%	1.8%	0.8%	1.4%	0.6%	0.5%	70.0%
8.5 year-olds +	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Unknown	1.9%	2.7%	1.3%	1.4%	1.4%	1.1%	1.9%	2.2%	1.3%

Table 2c: Age Distribution Historical Comparison

Year	Bucks - Age %			Does - Age %		
	0.5	1.5	2.5+	0.5	1.5	2.5+
2020-2021	4%	12%	83%	14%	13%	73%
2021-2022	10%	10%	79%	15%	11%	72%
2022-2023	8%	16%	76%	10%	15%	67%
2023-2024	12%	10%	78%	10%	15%	69%

Table 3: Statistics for Females

Age Class	Dressed Weight		Lactation Rates (October)	
	Avg.	No.	Percent	No.
0.5 year-olds (Fawns)	36.8	27	-	-
1.5 year-olds (Yearlings)	57.8	24	0.0%	0
2.5 year-olds	68.4	30	66.7%	4
3.5 year-olds +	70.7	82	55.6%	10

Table 4: Statistics for Males

Age Class	% of Total	Dressed Weight		Antler Points		Beam Diameter (mm)		Outside Spread (in)		Beam Length (in)	
		Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.
0.5 year-olds	12.2%	38.8	44	-	-	-	-	-	-	-	-
1.5 year-olds	10.3%	68.0	37	2.5	33	15.3	32	6.9	30	7.6	32
2.5 year-olds	29.4%	90.6	106	5.9	105	23.6	105	13.4	104	14.6	105
3.5 year-olds +	46.1%	105.0	166	7.5	163	31.3	165	17.6	164	19.3	165

Table 5: Buck Harvest by Area and Number of Antler Points

# of Points	Total		TA		CA	
	#	D	#	D	#	D
BB	47	0.63	37	0.64	10	0.60
1	3	0.04	3	0.05	0	0.00
2	27	0.36	27	0.47	0	0.00
3	7	0.09	5	0.09	2	0.12
4	17	0.23	16	0.28	1	0.06
5	23	0.31	16	0.28	7	0.42
6	70	0.94	41	0.71	29	1.75
7	46	0.62	25	0.43	21	1.27
8	85	1.15	47	0.82	38	2.30
9	16	0.22	10	0.17	6	0.36
10	7	0.09	6	0.10	1	0.06
11	2	0.03	2	0.03	0	0.00
12	1	0.01	1	0.02	0	0.00
13	2	0.03	2	0.03	0	0.00
14	0	0.00	0	0.00	0	0.00
SHED	4	0.05	2	0.03	2	0.12
D = Density (# deer harvested per square mile)						

Table 6: Antler Measurements

	2023-2024				2022-2023		
	Total	TA	CA		Total	TA	CA
# Antlered	306	201	105		267	178	89
# 8pt +	113	68	45		105	59	46
% 8pt +	36.9%	33.8%	42.9%		39.3%	33.1%	51.7%
Harvest Density (8pt+ per SQ Mi)	1.52	1.18	2.72		1.42	1.02	2.84
% 1.5 w/ Spikes	67.6%	80.6%	N/A		62.2%	68.4%	N/A
Avg 1.5 Beam Diameter (mm)	15.3	15.3	15.5		15.1	14.8	17.6
Avg 2.5+ Beam Diameter (mm)	28.3	27.4	29.8		29.1	28.0	30.9
Avg 1.5 Beam Length (in)	7.6	7.4	10.3		7.4	7.1	9.3
Avg 2.5+ Beam Length (in)	17.5	16.7	18.6		17.5	17.1	18.1
Avg 1.5 Outside Spread (in)	6.9	6.7	9.6		7.0	6.8	8.4
Avg 2.5+ Outside Spread (in)	16.0	15.4	16.9		16.6	16.0	17.6

Table 7: Harvest Totals by area and sex.

2023-2024 Deer Harvest Update					
1/12/2024			Total Deer : 526		
TA	Antlered	Doe/BB	CA	Antlered	Doe/BB
1	2	16	1	7	2
2	5	4	2	3	-
3	6	9	3	-	1
4	-	4	4	5	2
5	8	6	5	2	1
6	18	7	6	2	-
7	9	4	7	5	4
8	1	1	8	2	3
9	6	4	9	-	-
10	4	1	10	2	1
11	1	4	11	-	1
12	9	9	12	2	-
13	6	5	13	4	3
14	7	5	14	14	22
15	4	5	15	12	8
16	6	1	16	11	15
17	7	1	17	10	7
18	14	6	18	2	2
19	6	1	19	2	1
20	13	2	20	3	2
21	13	5	21	2	1
22	12	10	22	2	-
23	7	2	23	3	2
24	7	5	24	1	-
25	16	3	25	1	1
26	3	3	26	3	1
28	10	7	27	1	-
30	4	-	TOTAL	101	80
31	1	2		181	
MCA	2	-			
MCB	-	1			
MCC	-	1			
MCD	-	2			
MCF	1	1			
TOTAL	208	137			
	345				

BB stands for Button Buck

Table 8: Harvest Totals and Average Weight in lbs (W) by Area, Age and Sex

Training Area	Total Count	Males										Females							
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
1	18	7	4	46.3	1	58.0	2	97.5	0	-	11	2	34.0	0	-	8	72.2	0	-
2	9	7	2	39.5	1	66.0	4	100.5	0	-	2	0	-	0	-	2	61.0	0	-
3	15	8	2	34.5	1	68.0	5	96.4	0	-	7	2	36.0	1	60.0	4	71.1	0	-
4	4	0	0	-	0	-	0	-	0	-	4	1	34.0	1	57.0	2	66.5	0	-
5	14	10	2	43.5	1	74.2	7	105.8	0	-	4	0	-	1	61.0	3	69.8	0	-
6	25	20	1	27.0	5	71.2	14	94.4	0	-	5	1	23.0	1	62.0	3	67.5	0	-
7	13	9	0	-	3	45.0	6	97.8	0	-	4	0	-	0	-	4	64.6	0	-
8	2	1	0	-	0	-	1	71.0	0	-	1	0	-	0	-	1	54.0	0	-
9	10	6	0	-	1	67.0	3	65.3	0	-	4	1	44.0	0	-	3	66.3	0	-
10	5	4	0	-	0	-	3	96.0	0	-	1	1	33.0	0	-	0	-	0	-
11	5	3	1	42.1	1	65.0	1	90.0	0	-	2	0	-	0	-	2	57.7	0	-
12	18	12	3	38.3	2	63.6	6	88.0	0	-	6	0	-	2	63.0	4	71.0	0	-
13	11	7	1	32.6	0	-	6	105.6	0	-	4	0	-	2	49.0	2	61.5	0	-
14	12	8	1	42.0	1	73.0	6	95.8	0	-	4	1	36.0	1	57.0	2	69.0	0	-
15	9	6	2	42.5	1	92.0	3	96.3	0	-	3	1	35.0	0	-	2	74.6	0	-
16	7	7	1	30.0	1	73.0	5	102.9	0	-	0	0	-	0	-	0	-	0	-
17	8	7	0	-	1	80.0	6	103.8	0	-	1	1	38.0	0	-	0	-	0	-
18	20	15	1	29.0	3	64.1	11	95.8	0	-	5	2	40.0	0	-	3	58.0	0	-
19	7	6	0	-	0	-	6	95.1	0	-	1	0	-	1	70.0	0	-	0	-
20	15	13	0	-	3	73.3	10	97.1	0	-	2	1	38.0	0	-	1	57.0	0	-
21	18	15	2	42.8	2	58.5	11	95.6	0	-	3	0	-	0	-	3	67.8	0	-
22	22	16	4	35.2	1	82.7	11	93.5	0	-	6	1	35.0	0	-	5	71.3	0	-
23	9	8	1	36.0	0	-	7	90.3	0	-	1	0	-	0	-	1	57.0	0	-
24	12	8	1	40.0	3	76.2	4	94.5	0	-	4	2	43.0	0	-	2	64.3	0	-
25	19	18	2	35.0	1	59.0	14	106.0	0	-	1	0	-	0	-	1	80.0	0	-
26	6	4	1	37.0	0	-	3	101.7	0	-	2	0	-	0	-	2	70.0	0	-
28	17	11	1	34.0	0	-	10	105.8	0	-	6	0	-	1	63.0	5	70.8	0	-
30	4	4	0	-	1	68.0	3	89.5	0	-	0	0	-	0	-	0	-	0	-
31	3	2	1	38.0	1	68.0	0	-	0	-	1	0	-	0	-	1	63.0	0	-
MCA	2	2	0	-	0	-	2	97.5	0	-	0	0	-	0	-	0	-	0	-
MCB	1	0	0	-	0	-	0	-	0	-	1	0	-	0	-	1	77.1	0	-
MCC	1	1	1	34.0	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
MCD	2	0	0	-	0	-	0	-	0	-	2	1	33.0	0	-	1	74.0	0	-
MCF	2	1	0	-	0	-	1	89.0	0	-	1	0	-	0	-	1	61.0	0	-

Training Area	Total Count	Males										Females							
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
CA01	9	7	0	-	1	70.0	6	95.8	0	-	2	0	-	0	-	2	81.5	0	-
CA02	3	3	0	-	0	-	3	104.3	0	-	0	0	-	0	-	0	-	0	-
CA03	1	0	0	-	0	-	0	-	0	-	1	0	-	0	-	1	87.0	0	-
CA04	7	5	0	-	0	-	5	93.3	0	-	2	0	-	1	49.0	1	62.0	0	-
CA05	3	3	1	46.0	0	-	2	83.0	0	-	0	0	-	0	-	0	-	0	-
CA06	2	2	0	-	0	-	2	101.3	0	-	0	0	-	0	-	0	-	0	-
CA07	9	6	1	35.5	0	-	5	106.6	0	-	3	1	34.0	1	50.0	1	75.0	0	-
CA08	5	2	0	-	0	-	1	106.0	0	-	3	0	-	1	61.0	2	74.0	0	-
CA09	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
CA10A	3	3	1	38.0	0	-	2	89.0	0	-	0	0	-	0	-	0	-	0	-
CA10B	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
CA11A	1	0	0	-	0	-	0	-	0	-	1	0	-	0	-	1	72.0	0	-
CA11B	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
CA12	2	2	0	-	1	75.0	1	106.0	0	-	0	0	-	0	-	0	-	0	-
CA13	7	4	0	-	0	-	4	117.4	0	-	3	1	36.0	0	-	2	67.5	0	-
CA14A	18	10	0	-	0	-	10	105.7	0	-	8	1	33.0	2	62.0	5	79.4	0	-
CA14B	18	6	2	47.5	0	-	4	96.5	0	-	12	2	40.5	1	62.0	9	72.6	0	-
CA15	20	14	2	46.0	0	-	12	112.3	0	-	6	1	44.0	2	52.0	2	74.0	0	-
CA16	26	16	1	33.6	0	-	15	99.8	0	-	10	2	34.5	2	55.5	6	74.0	0	-
CA17	17	10	0	-	0	-	10	105.5	0	-	7	1	41.0	0	-	5	69.8	0	-
CA18	4	3	1	31.0	0	-	2	91.5	0	-	1	0	-	0	-	1	80.0	0	-
CA19A	2	2	0	-	0	-	2	109.0	0	-	0	0	-	0	-	0	-	0	-
CA19B	1	0	0	-	0	-	0	-	0	-	1	0	-	0	-	1	67.0	0	-
CA20	5	3	0	-	0	-	3	101.7	0	-	2	0	-	1	61.0	1	72.0	0	-
CA21	3	2	0	-	0	-	2	113.0	0	-	1	0	-	1	53.0	0	-	0	-
CA22	2	2	0	-	0	-	2	101.9	0	-	0	0	-	0	-	0	-	0	-
CA23	5	3	0	-	0	-	2	109.3	0	-	2	0	-	0	-	2	74.5	0	-
CA24	1	1	0	-	0	-	1	90.0	0	-	0	0	-	0	-	0	-	0	-
CA25	2	1	0	-	0	-	1	91.0	0	-	1	0	-	0	-	1	70.0	0	-
CA26	4	3	0	-	0	-	3	103.0	0	-	1	0	-	1	57.4	0	-	0	-
CA27	1	1	0	-	0	-	1	107.0	0	-	0	0	-	0	-	0	-	0	-
TA Total	345	246	35	38.4	35	67.7	171	97.2	0	NA	99	18	36.6	11	59.5	69	67.6	0	NA
CA Total	181	114	9	40.5	2	72.5	101	102.8	0	NA	67	9	37.1	13	56.3	43	73.5	0	NA
TOTAL	526	360	44	38.8	37	68.0	272	99.4	0	NA	166	27	36.8	24	57.8	112	70.1	0	NA

Table 9: Harvest Density (D) per Huntable Square Mile by Area, Age and Sex

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
1	1.0668	18	16.87	4	3.75	1	0.94	2	1.87	0	-	2	1.87	0	-	8	7.50	0	-
2	0.6843	9	13.15	2	2.92	1	1.46	4	5.85	0	-	0	-	0	-	2	2.92	0	-
3	0.9881	15	15.18	2	2.02	1	1.01	5	5.06	0	-	2	2.02	1	1.01	4	4.05	0	-
4	0.2589	4	15.45	0	-	0	-	0	-	0	-	1	3.86	1	3.86	2	7.72	0	-
5	2.0597	14	6.80	2	0.97	1	0.49	7	3.40	0	-	0	-	1	0.49	3	1.46	0	-
6	2.8595	25	8.74	1	0.35	5	1.75	14	4.90	0	-	1	0.35	1	0.35	3	1.05	0	-
7	2.7043	13	4.81	0	-	3	1.11	6	2.22	0	-	0	-	0	-	4	1.48	0	-
8	1.9724	2	1.01	0	-	0	-	1	0.51	0	-	0	-	0	-	1	0.51	0	-
9	2.0290	10	4.93	0	-	1	0.49	3	1.48	0	-	1	0.49	0	-	3	1.48	0	-
10	1.8306	5	2.73	0	-	0	-	3	1.64	0	-	1	0.55	0	-	0	-	0	-
11	1.2820	5	3.90	1	0.78	1	0.78	1	0.78	0	-	0	-	0	-	2	1.56	0	-
12	2.5520	18	7.05	3	1.18	2	0.78	6	2.35	0	-	0	-	2	0.78	4	1.57	0	-
13	1.5670	11	7.02	1	0.64	0	-	6	3.83	0	-	0	-	2	1.28	2	1.28	0	-
14	1.3152	12	9.12	1	0.76	1	0.76	6	4.56	0	-	1	0.76	1	0.76	2	1.52	0	-
15	2.2301	9	4.04	2	0.90	1	0.45	3	1.35	0	-	1	0.45	0	-	2	0.90	0	-
16	1.6933	7	4.13	1	0.59	1	0.59	5	2.95	0	-	0	-	0	-	0	-	0	-
17	1.1018	8	7.26	0	-	1	0.91	6	5.45	0	-	1	0.91	0	-	0	-	0	-
18	2.3709	20	8.44	1	0.42	3	1.27	11	4.64	0	-	2	0.84	0	-	3	1.27	0	-
19	2.8991	7	2.41	0	-	0	-	6	2.07	0	-	0	-	1	0.34	0	-	0	-
20	4.1093	15	3.65	0	-	3	0.73	10	2.43	0	-	1	0.24	0	-	1	0.24	0	-
21	2.9236	18	6.16	2	0.68	2	0.68	11	3.76	0	-	0	-	0	-	3	1.03	0	-
22	2.8222	22	7.80	4	1.42	1	0.35	11	3.90	0	-	1	0.35	0	-	5	1.77	0	-
23	2.9465	9	3.05	1	0.34	0	-	7	2.38	0	-	0	-	0	-	1	0.34	0	-
24	1.3343	12	8.99	1	0.75	3	2.25	4	3.00	0	-	2	1.50	0	-	2	1.50	0	-
25	3.8942	19	4.88	2	0.51	1	0.26	14	3.60	0	-	0	-	0	-	1	0.26	0	-
26	0.9490	6	6.32	1	1.05	0	-	3	3.16	0	-	0	-	0	-	2	2.11	0	-
28	2.2787	17	7.46	1	0.44	0	-	10	4.39	0	-	0	-	1	0.44	5	2.19	0	-
30	0.8779	4	4.56	0	-	1	1.14	3	3.42	0	-	0	-	0	-	0	-	0	-
31	0.6988	3	4.29	1	1.43	1	1.43	0	-	0	-	0	-	0	-	1	1.43	0	-
MCA	0.3329	2	6.01	0	-	0	-	2	6.01	0	-	0	-	0	-	0	-	0	-
MCB	0.2505	1	3.99	0	-	0	-	0	-	0	-	0	-	0	-	1	3.99	0	-
MCC	0.2049	1	4.88	1	4.88	0	-	0	-	0	-	0	-	0	-	0	-	0	-
MCD	0.306	2	6.54	0	-	0	-	0	-	0	-	1	3.27	0	-	1	3.27	0	-
MCF	0.1841	2	10.86	0	-	0	-	1	5.43	0	-	0	-	0	-	1	5.43	0	-

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
CA01	1.0850	9	8.29	0	-	1	0.92	6	5.53	0	-	0	-	0	-	2	1.84	0	-
CA02	0.4856	3	6.18	0	-	0	-	3	6.18	0	-	0	-	0	-	0	-	0	-
CA03	0.2180	1	4.59	0	-	0	-	0	-	0	-	0	-	0	-	1	4.59	0	-
CA04	0.5725	7	12.23	0	-	0	-	5	8.73	0	-	0	-	1	1.75	1	1.75	0	-
CA05	0.5690	3	5.27	1	1.76	0	-	2	3.51	0	-	0	-	0	-	0	-	0	-
CA06	0.4887	2	4.09	0	-	0	-	2	4.09	0	-	0	-	0	-	0	-	0	-
CA07	1.1067	9	8.13	1	0.90	0	-	5	4.52	0	-	1	0.90	1	0.90	1	0.90	0	-
CA08	0.3215	5	15.55	0	-	0	-	1	3.11	0	-	0	-	1	3.11	2	6.22	0	-
CA09	0.2522	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
CA10A	0.5397	3	5.56	1	1.85	0	-	2	3.71	0	-	0	-	0	-	0	-	0	-
CA10B	0.5273	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
CA11A	0.3141	1	3.18	0	-	0	-	0	-	0	-	0	-	0	-	1	3.18	0	-
CA11B	0.2662	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
CA12	0.3071	2	6.51	0	-	1	3.26	1	3.26	0	-	0	-	0	-	0	-	0	-
CA13	0.4195	7	16.69	0	-	0	-	4	9.54	0	-	1	2.38	0	-	2	4.77	0	-
CA14A	0.4538	18	39.67	0	-	0	-	10	22.04	0	-	1	2.20	2	4.41	5	11.02	0	-
CA14B	0.7641	18	23.56	2	2.62	0	-	4	5.23	0	-	2	2.62	1	1.31	9	11.78	0	-
CA15	0.7635	20	26.20	2	2.62	0	-	12	15.72	0	-	1	1.31	2	2.62	2	2.62	0	-
CA16	0.9274	26	28.04	1	1.08	0	-	15	16.17	0	-	2	2.16	2	2.16	6	6.47	0	-
CA17	1.0988	17	15.47	0	-	0	-	10	9.10	0	-	1	0.91	0	-	5	4.55	0	-
CA18	0.6244	4	6.41	1	1.60	0	-	2	3.20	0	-	0	-	0	-	1	1.60	0	-
CA19A	0.6070	2	3.29	0	-	0	-	2	3.29	0	-	0	-	0	-	0	-	0	-
CA19B	0.3698	1	2.70	0	-	0	-	0	-	0	-	0	-	0	-	1	2.70	0	-
CA20	0.5845	5	8.55	0	-	0	-	3	5.13	0	-	0	-	1	1.71	1	1.71	0	-
CA21	0.9262	3	3.24	0	-	0	-	2	2.16	0	-	0	-	1	1.08	0	-	0	-
CA22	0.3624	2	5.52	0	-	0	-	2	5.52	0	-	0	-	0	-	0	-	0	-
CA23	0.3619	5	13.82	0	-	0	-	2	5.53	0	-	0	-	0	-	2	5.53	0	-
CA24	0.2707	1	3.69	0	-	0	-	1	3.69	0	-	0	-	0	-	0	-	0	-
CA25	0.4199	2	4.76	0	-	0	-	1	2.38	0	-	0	-	0	-	1	2.38	0	-
CA26	0.2575	4	15.53	0	-	0	-	3	11.65	0	-	0	-	1	3.88	0	-	0	-
CA27	0.2817	1	3.55	0	-	0	-	1	3.55	0	-	0	-	0	-	0	-	0	-
TA Total	57.578	345	5.99	35	0.61	35	0.61	171	2.97	0	-	18	0.31	11	0.19	69	1.20	0	-
CA Total	16.547	181	10.94	9	0.54	2	0.12	101	6.10	0	-	9	0.54	13	0.79	43	2.60	0	-
TOTAL	74.125	526	7.10	44	0.59	37	0.50	272	3.67	0	-	27	0.36	24	0.32	112	1.51	0	0.00



Table 9: Hunter Effort and Success Rates by Area

Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
1	18	272	1411.1	15.1	78.4
2	9	178	1062.8	19.8	118.1
3	15	260	1426.7	17.3	95.1
4	4	97	898.5	24.3	224.6
5	14	297	1641.2	21.2	117.2
6	25	460	2585.7	18.4	103.4
7	13	250	1472.8	19.2	113.3
8	2	77	416.3	38.5	208.2
9	10	161	1027.8	16.1	102.8
10	5	173	1043.8	34.6	208.8
11	5	102	604.7	20.4	120.9
12	18	241	1415.4	13.4	78.6
13	11	159	845.3	14.5	76.8
14	12	177	1033.5	14.8	86.1
15	9	177	1157.6	19.7	128.6
16	7	123	640.2	17.6	91.5
17	8	89	551.8	11.1	69.0
18	20	279	1521.5	14.0	76.1
19	7	211	1128.1	30.1	161.2
20	15	315	1863.5	21.0	124.2
21	18	270	1426.6	15.0	79.3
22	22	303	1948.6	13.8	88.6
23	9	216	1159.1	24.0	128.8
24	12	287	1746.5	23.9	145.5
25	19	315	1965.6	16.6	103.5
26	6	127	730.1	21.2	121.7
28	17	293	1808.4	17.2	106.4
30	4	123	817.8	30.8	204.5
31	3	107	499.2	35.7	166.4
MCA	2	12	60.5	6.0	30.3
MCB	1	5	21.6	5.0	21.6
MCC	1	9	25.4	9.0	25.4
MCD	2	49	259.4	24.5	129.7
MCF	2	18	82.2	9.0	41.1

Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
CA01	9	132	1020.1	14.7	113.3
CA02	3	94	569.2	31.3	189.7
CA03	1	16	88.0	16.0	88.0
CA04	7	64	418.4	9.1	59.8
CA05	3	33	176.8	11.0	58.9
CA06	2	43	296.1	21.5	148.1
CA07	9	58	354.4	6.4	39.4
CA08	5	37	310.7	7.4	62.1
CA09	0	41	196.1	0.0	0.0
CA10A	3	41	261.4	13.7	87.1
CA10B	0	46	207.8	0.0	0.0
CA11A	1	32	196.5	32.0	196.5
CA11B	0	22	162.2	0.0	0.0
CA12	2	50	324.9	25.0	162.5
CA13	7	72	509.9	10.3	72.8
CA14A	18	154	1075.3	8.6	59.7
CA14B	18	156	1018.2	8.7	56.6
CA15	20	212	1532.8	10.6	76.6
CA16	26	151	1027.7	5.8	39.5
CA17	17	131	1014.2	7.7	59.7
CA18	4	73	506.7	18.3	126.7
CA19A	2	41	379.2	20.5	189.6
CA19B	1	34	248.1	34.0	248.1
CA20	5	93	536.4	18.6	107.3
CA21	3	39	271.7	13.0	90.6
CA22	2	26	211.2	13.0	105.6
CA23	5	31	251.1	6.2	50.2
CA24	1	14	105.2	14.0	105.2
CA25	2	82	601.4	41.0	300.7
CA26	4	42	286.5	10.5	71.6
CA27	1	61	352.7	61.0	352.7
TA Total	345	6,232.0	36,299.2	18.1	105.2
CA Total	181	2,121.0	14,510.8	11.7	80.2
TOTAL	526	8,353.0	50,810.0	15.9	96.6



Historical Data Comparison

Chart 1: Harvest Sex Ratio



Historical Data Comparison

Chart 2: Buck Harvest Age Structure



Historical Data Comparison

Chart 3: Doe Harvest Age Structure






Chart 4: Training Area and Controlled Access Area Comparison






Chart 5: Historical Buck to Doe Harvest Ratios




Table 10: Reproductive Statistics Comparison

	2023-2024	2022-2023	2021-2022
Fawn to Doe Ratio: # of fawns per bearing age (2.5+ yr old) doe harvested	0.63	0.39	0.49
% Fawns in the total antlerless harvest	32.3%	23.8%	28.7%
% Fawns in the total deer harvest	13.5%	8.3%	11.5%
Lactation Rate: for 2.5 yr olds	66.7%	50.0%	58.3%
Lactation Rate: for 3.5 yr olds	55.6%	63.3%	64.3%

Chart 6: Comparison Hunting Trips

