


FORT WALKER DEER HARVEST REPORT 2024 - 2025



Fort Walker 2024-2025 Deer Harvest Report

The 2024-2025 total deer harvest for Fort Walker (FWVA) was 504, which is down from the 2023-2024 season harvest of 526 (-5%). There were 307 (61%) bucks and 197 (39%) does harvested. The number of hunting trips increased from 8,353 (2023) to 8,951 (2024) totaling our most trips since 2020. The number of hours to harvest a deer increased from 96.6 hours (2023) to 108.5 hours (2024). A more in-depth review of the harvest data can be found in the data section of this report.

2024-2025 Hunting Season Review

Going into the season, the expectation was to harvest more does due to increased either-sex days and antlerless tags available. We harvested 197 does, which is a 19% increase from last year and the second highest doe harvest since 2013-2014, but a decrease in total deer harvest. We feel the deer herd is in great health so a few factors could explain this. This past fall's oak acorn crop was excellent for both white oak and red oak acorns across the installation. Typically, hunter's success negatively correlates with increased acorn production. Also, the two weeks of muzzleloader season, which made up 40% of our total harvest last year, only made up 29% of our total harvest this year. Extreme heat and lack of available areas could have played a role in this.

We continue to place an emphasis on failed check-outs. The number of failed checkouts dropped from 27 in the 2022-2023 season, to 8 in the 2023-2024 season, to 2 this past season. Please continue to be diligent in your communication with us, and one another to avoid failed checkouts. The violation that occurred most often this past season was weapons not encased while traveling. We had 11 of these violations. Reminder, ALL weapons (including bows) must travel in a case.

This past season we added "Archery/Shotshell Only" areas. TA07A and TA07B were changed to increase recreational opportunity. Last year 9 deer were harvested in TA07A and TA07B combined, and the areas were open less than 20% of the season. This year TA07A and TA07B were open 89% (07A) and 72% (07B) of the season and a total of 21 deer were harvested. Recreational opportunity increased along with our ability to manage the deer herd around the drop zone.

Approximately 8% of the deer harvested showed signs of having survived Epizootic Hemorrhagic Disease (EHD). We had no reports of dead deer along bodies of water this summer/fall. In the 2022-2023 season, 11% of our deer harvested showed signs of having survived EHD. With the combination of multiple minor outbreaks in the last few years and lack of dead deer sightings, the assumption would be that immunity is strong in the deer herd. Please report all dead deer sightings especially in the September scouting season.

Continue to monitor iSportsman throughout the year as this is our best way to communicate changes to regulations, gate closures, additional either-sex days, etc. This includes reading ALL acknowledgements before accepting them.

Bears and Feral Hogs

No bears were harvested on FWVA again this season. Bear sightings have remained consistent at 4-5 sightings per year. Bears were harvested for two consecutive seasons, one in 2012 and one in 2013. It is not believed there are resident bears calling FWVA their home currently.

No hog sightings have been reported in years. This is one of the most asked questions we receive each year from our recreational hunters. If a hunter does see a feral hog or feral hog sign, we ask that you report it immediately.

Expectations for Next Season

Next season's antler production and weights are expected to be up due to this fall's excellent acorn production. The deer herd is in good condition and the expectation is an increase in harvest for next season.

We do not expect any major changes to next year's regulations or recreational map. The antlerless bag limit will remain the same and the number of either-sex hunting days will increase for the 2025-2026 season. These changes are based on current deer herd conditions but could be adjusted as conditions change (ex. EHD outbreak). There will always be minor changes as we continue improve the program, so please read the 2025-2026 regulations from front to back.

Please continue to report violations, sightings, or anything out of the ordinary, as you are part of making Fort Walker a great experience for everyone. Thank you for your support and assistance during this past season with managing the natural resources on FWVA. We look forward to seeing everyone during turkey season.

Table 1: Harvest Totals and Percentage by Area and Sex

2024-2025	Harvest		% of Total Harvest	2023-2024	Harvest		% of Total Harvest
Males	307		60.9%	Males	360		68.4%
TA	189	61.6%	37.5%	TA	246	68.3%	46.8%
CA	118	38.4%	23.4%	CA	114	31.7%	21.7%
Females	197		39.1%	Females	166		31.6%
TA	104	52.8%	20.6%	TA	99	59.6%	18.8%
CA	93	47.2%	18.5%	CA	67	40.4%	12.7%
Total Harvest	504		100.0%	Total Harvest	526		100.0%
TA	293		58.1%	TA	345		65.6%
CA	211		41.9%	CA	181		34.4%

Table 2a: Age Distribution

Age Class	Male		Female		Total	
	NO.	(%)	NO.	(%)	NO.	(%)
0.5 year-olds (Fawns)	26	8.5%	35	17.8%	61	12.1%
1.5 year-olds (Yearlings)	38	12.4%	23	11.7%	61	12.1%
2.5 year-olds	79	25.7%	34	17.3%	113	22.4%
3.5 year-olds	74	24.1%	37	18.8%	111	22.0%
4.5 year-olds	48	15.6%	24	12.2%	72	14.3%
5.5 year-olds	25	8.1%	25	12.7%	50	9.9%
6.5 year-olds	10	3.3%	10	5.1%	20	4.0%
7.5 year-olds	0	0.0%	4	2.0%	4	0.8%
8.5 year-olds +	0	0.0%	0	0.0%	0	0.0%
Unknown	7	2.3%	5	2.5%	12	2.4%
Totals	307		197		504	

Table 2b: Age Distribution Historical Comparison

Age Class	Male			Female			Total		
	2024-2025	2023-2024	2022-2023	2024-2025	2023-2024	2022-2023	2024-2025	2023-2024	2022-2023
0.5 year-olds (Fawns)	8.5%	12.2%	7.6%	17.8%	16.3%	10.1%	12.1%	13.5%	8.3%
1.5 year-olds (Yearlings)	12.4%	10.3%	15.5%	11.7%	14.5%	15.1%	12.1%	11.6%	15.4%
2.5 year-olds	25.7%	29.4%	17.5%	17.3%	18.1%	18.5%	22.4%	25.9%	17.8%
3.5 year-olds	24.1%	18.9%	25.8%	18.8%	17.5%	16.0%	22.0%	18.4%	22.9%
4.5 year-olds	15.6%	15.0%	19.2%	12.2%	13.3%	11.8%	14.3%	14.4%	17.1%
5.5 year-olds	8.1%	9.4%	8.2%	12.7%	12.7%	16.8%	9.9%	10.5%	10.7%
6.5 year-olds	3.3%	2.8%	3.1%	5.1%	4.2%	10.1%	4.0%	3.2%	5.1%
7.5 year-olds	0.0%	0.0%	0.3%	2.0%	1.8%	0.8%	0.8%	0.6%	0.5%
8.5 year-olds +	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Unknown	2.3%	1.9%	2.7%	1.4%	1.4%	1.4%	2.4%	1.9%	2.2%

Table 2c: Age Distribution Historical Comparison

Year	Bucks - Age %			Does - Age %		
	0.5	1.5	2.5+	0.5	1.5	2.5+
2020-2021	4%	12%	83%	14%	13%	73%
2021-2022	10%	10%	79%	15%	11%	72%
2022-2023	8%	16%	77%	10%	15%	68%
2023-2024	12%	10%	76%	16%	15%	67%
2024-2025	9%	12%	79%	18%	12%	71%

Table 3: Statistics for Females

Age Class	Dressed Weight		Lactation Rates (October)	
	Avg.	No.	Percent	No.
0.5 year-olds (Fawns)	34.8	35	-	-
1.5 year-olds (Yearlings)	54.3	23	0.0%	0
2.5 year-olds	67.2	34	11.1%	1
3.5 year-olds +	73.8	100	52.5%	21

Table 4: Statistics for Males

Age Class	% of Total	Dressed Weight		Antler Points		Beam Diameter (mm)		Outside Spread (in)		Beam Length (in)	
		Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.
0.5 year-olds	8.5%	40.7	26	-	-	-	-	-	-	-	-
1.5 year-olds	12.4%	65.4	38	2.3	30	14.9	29	6.3	29	6.0	29
2.5 year-olds	25.7%	87.1	79	5.6	78	23.5	78	12.9	77	13.7	78
3.5 year-olds +	50.5%	107.6	155	7.5	154	31.8	154	17.5	152	18.8	154

Table 5: Buck Harvest by Area and Number of Antler Points

# of Points	Total		TA		CA	
	#	D	#	D	#	D
BB	32	0.43	23	0.40	9	0.54
1	2	0.03	2	0.03	0	0.00
2	31	0.42	29	0.51	2	0.12
3	6	0.08	6	0.10	0	0.00
4	17	0.23	13	0.23	4	0.24
5	21	0.28	12	0.21	9	0.54
6	48	0.65	25	0.44	23	1.37
7	38	0.51	21	0.37	17	1.01
8	87	1.17	48	0.84	39	2.32
9	17	0.23	8	0.14	9	0.54
10	2	0.03	0	0.00	2	0.12
11	1	0.01	0	0.00	1	0.06
12	0	0.00	0	0.00	0	0.00
13	0	0.00	0	0.00	0	0.00
14	0	0.00	0	0.00	0	0.00
15	0	0.00	0	0.00	0	0.00
16	0	0.00	0	0.00	0	0.00
17	0	0.00	0	0.00	0	0.00
18	1	0.01	1	0.02	0	0.00
SHED	2	0.03	0	0.00	2	0.12

D = Density (# deer harvested per square mile)

Table 6: Antler Measurements

	2024-2025				2023-2024		
	Total	TA	CA		Total	TA	CA
# Antlered	271	165	106		306	201	105
# 8pt +	108	57	51		113	68	45
% 8pt +	39.9%	34.5%	48.1%		36.9%	33.8%	42.9%
Harvest Density (8pt+ per SQ Mi)	1.46	0.99	3.03		1.52	1.18	2.72
% 1.5 w/ Spikes	59.5%	59.5%	N/A		67.6%	80.6%	N/A
Avg 1.5 Beam Diameter (mm)	14.9	14.9	N/A		15.3	15.3	15.5
Avg 2.5+ Beam Diameter (mm)	29.0	27.7	30.7		28.3	27.4	29.8
Avg 1.5 Beam Length (in)	6.0	6.0	N/A		7.6	7.4	10.3
Avg 2.5+ Beam Length (in)	17.1	16.4	18.0		17.5	16.7	18.6
Avg 1.5 Outside Spread (in)	6.3	6.3	N/A		6.9	6.7	9.6
Avg 2.5+ Outside Spread (in)	16.0	15.3	16.9		16.0	15.4	16.9

Table 7: Harvest Totals by area and sex.

2024-2025 Deer Harvest Update: TAs					
1/4/2025			Total Deer: 293		
TA	Antlered	Doe/BB	TA	Antlered	Doe/BB
1A	1	6	17A	1	-
1B	2	4	17B	1	1
2	3	1	18A	3	1
3A	1	6	18B	2	-
3B	5	1	18C/MCF	4	1
4	2	2	19A	5	-
5A/MCA	5	3	19B	2	-
5B	2	2	19C	2	2
5C	1	-	20A	-	-
6A	3	1	20B	3	2
6B	6	6	20C	1	1
6C	4	-	20D	1	-
7A	3	5	21A	1	1
7B	1	12	21B	4	-
7C	2	7	21C	-	2
8A/MCC	7	4	21D	1	-
8B	2	1	22A	5	3
9A	4	1	22B	1	-
9B/MCB	3	1	23A	3	1
10A	1	1	23B	1	-
10B	1	-	24A	1	2
10C	4	-	24B	1	4
11A	-	-	24C	2	5
11B	1	-	25A	6	1
12A	4	1	25B	5	-
12B/MCD	7	5	25C	4	-
12C	2	-	26A	1	1
13A	3	3	26B	3	1
13B/MCE	1	1	28A	1	6
14A	1	1	28B	8	-
14B	1	1	30A	3	2
15A	4	2	30B	1	1
15B	4	1	31A	1	1
16A	2	2	31B	-	-
16B	1	1	Drop Zone	-	-
TOTAL	94	82	TOTAL	78	39
	176			117	

2024-2025 Deer Harvest Update: CAs					
1/4/2025			Total Deer: 211		
CA	Antlered	Doe/BB	CA	Antlered	Doe/BB
1	7	8	14A	4	4
2	4	2	14B	6	6
3	1	2	15	12	18
4	5	1	16	16	11
5	1	3	17	8	9
6	6	2	18	2	-
7	2	2	19A	2	-
8	1		19B	2	5
9	1	1	20	2	2
10A	4	3	21	5	4
10B	2	-	22	5	-
11A	2	-	23	1	2
11B	1	-	24	2	-
12	2	2	25	3	2
13	5	5	26	1	1
			27	1	-
TOTAL	44	31	TOTAL	72	64
	75			136	

BB stands for Button Buck

Table 8: Harvest Totals and Average Weight in lbs (W) by Area, Age and Sex

Training Area	Total Count	Males										Females							
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
1A	7	3	2	32.0	1	63.0	0	-	0	-	4	1	36.6	0	-	3	62.3	0	-
1B	6	3	1	37.0	0	-	2	103.5	0	-	3	1	38.0	0	-	2	61.8	0	-
2	4	3	0	-	1	68.0	2	103.4	0	-	1	0	-	0	-	0	-	0	-
3A	7	2	0	-	1	70.0	1	82.5	0	-	5	2	29.5	1	47.5	2	59.0	0	-
3B	6	5	0	-	1	77.8	4	96.1	0	-	1	1	29.0	0	-	0	-	0	-
4	4	2	0	-	1	66.0	1	88.0	0	-	2	0	-	0	-	2	69.8	0	-
5A/MCA	8	5	1	43.0	1	42.3	3	98.2	0	-	3	1	28.0	0	-	2	69.5	0	-
5B	4	3	0	-	0	-	3	82.1	0	-	1	1	35.5	0	-	0	-	0	-
5C	1	1	0	-	1	70.5	0	-	0	-	0	0	-	0	-	0	-	0	-
6A	4	3	0	-	0	-	3	112.7	0	-	1	0	-	0	-	1	82.0	0	-
6B	12	6	1	39.0	1	64.0	4	92.5	0	-	6	1	32.0	0	-	5	66.9	0	-
6C	4	4	0	-	0	-	4	92.5	0	-	0	0	-	0	-	0	-	0	-
7A	8	3	0	-	0	-	3	104.5	0	-	5	0	-	0	-	5	64.4	0	-
7B	13	3	2	38.8	1	58.0	0	-	0	-	10	1	45.0	1	60.0	7	68.4	0	-
7C	9	4	2	40.0	1	59.0	1	68.0	0	-	5	1	24.5	1	55.0	3	68.6	0	-
8A/MCC	11	7	0	-	0	-	7	95.6	0	-	4	1	32.0	1	67.0	2	71.0	0	-
8B	3	2	0	-	0	-	2	99.5	0	-	1	0	-	0	-	1	85.0	0	-
9A	5	4	0	-	3	65.8	1	112.5	0	-	1	0	-	0	-	1	66.0	0	-
9B/MCB	4	3	0	-	1	69.5	2	94.3	0	-	1	0	-	0	-	1	79.5	0	-
10A	2	1	0	-	0	-	1	97.5	0	-	1	0	-	0	-	1	66.0	0	-
10B	1	1	0	-	0	-	1	97.0	0	-	0	0	-	0	-	0	-	0	-
10C	4	4	0	-	1	71.5	3	85.0	0	-	0	0	-	0	-	0	-	0	-
11A	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
11B	1	1	0	-	0	-	1	74.0	0	-	0	0	-	0	-	0	-	0	-
12A	5	4	1	40.0	2	69.6	1	97.5	0	-	1	0	-	0	-	1	72.5	0	-
12B/MCD	12	7	1	36.0	1	64.0	5	96.4	0	-	5	1	33.0	1	54.0	3	69.3	0	-
12C	2	2	0	-	0	-	2	86.0	0	-	0	0	-	0	-	0	-	0	-
13A	6	3	0	-	0	-	2	93.0	0	-	3	0	-	1	50.0	2	69.6	0	-
13B/MCE	2	1	0	-	0	-	1	126.0	0	-	1	0	-	0	-	1	64.5	0	-
14A	2	1	0	-	0	-	1	93.0	0	-	1	0	-	0	-	1	76.0	0	-
14B	2	1	0	-	0	-	1	87.0	0	-	1	0	-	1	43.5	0	-	0	-
15A	6	4	0	-	1	68.0	3	86.3	0	-	2	0	-	0	-	2	84.0	0	-
15B	5	5	1	47.0	0	-	4	91.9	0	-	0	0	-	0	-	0	-	0	-

Training Area	Total Count	Males										Females							
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
16A	4	3	0	-	2	65.5	1	121.0	0	-	1	1	39.0	0	-	0	-	0	-
16B	2	1	0	-	0	-	1	119.5	0	-	1	0	-	0	-	1	61.0	0	-
17A	1	1	0	-	0	-	1	129.5	0	-	0	0	-	0	-	0	-	0	-
17B	2	1	0	-	1	72.5	0	-	0	-	1	0	-	0	-	1	63.0	0	-
18A	4	3	0	-	0	-	3	84.0	0	-	1	0	-	1	41.0	0	-	0	-
18B	2	2	0	-	0	-	2	91.7	0	-	0	0	-	0	-	0	-	0	-
18C/MCF	5	4	0	-	1	61.5	3	102.2	0	-	1	0	-	0	-	1	63.6	0	-
19A	5	5	0	-	0	-	5	99.7	0	-	0	0	-	0	-	0	-	0	-
19B	2	2	0	-	1	66.0	1	117.0	0	-	0	0	-	0	-	0	-	0	-
19C	4	3	1	48.5	0	-	2	116.0	0	-	1	0	-	0	-	1	64.0	0	-
20A	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
20B	5	3	0	-	2	56.8	1	86.0	0	-	2	2	32.3	0	-	0	-	0	-
20C	2	1	0	-	0	-	1	83.5	0	-	1	1	34.0	0	-	0	-	0	-
20D	1	1	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
21A	2	1	0	-	0	-	1	121.0	0	-	1	0	-	0	-	1	76.0	0	-
21B	4	4	0	-	3	70.0	1	109.0	0	-	0	0	-	0	-	0	-	0	-
21C	2	0	0	-	0	-	0	-	0	-	2	0	-	0	-	2	67.3	0	-
21D	1	1	0	-	1	63.0	0	-	0	-	0	0	-	0	-	0	-	0	-
22A	8	5	0	-	1	50.0	4	102.0	0	-	3	0	-	1	52.0	2	67.5	0	-
22B	1	1	0	-	0	-	1	136.0	0	-	0	0	-	0	-	0	-	0	-
23A	4	3	0	-	1	86.5	2	103.5	0	-	1	1	36.5	0	-	0	-	0	-
23B	1	1	0	-	0	-	1	108.0	0	-	0	0	-	0	-	0	-	0	-
24A	3	1	0	-	0	-	1	122.0	0	-	2	1	40.0	0	-	1	71.0	0	-
24B	5	1	0	-	0	-	1	83.5	0	-	4	0	-	1	51.0	3	65.8	0	-
24C	7	4	2	42.5	1	65.9	0	-	0	-	3	1	36.0	1	48.0	1	68.0	0	-
25A	7	6	0	-	1	60.5	5	98.9	0	-	1	0	-	0	-	0	-	0	-
25B	5	5	0	-	1	63.5	4	79.5	0	-	0	0	-	0	-	0	-	0	-
25C	4	4	0	-	0	-	4	120.5	0	-	0	0	-	0	-	0	-	0	-
26A	2	2	0	-	2	66.8	0	-	0	-	0	0	-	0	-	0	-	0	-
26B	4	3	0	-	0	-	2	93.0	0	-	1	0	-	0	-	1	83.0	0	-
28A	7	2	1	42.5	0	-	1	108.5	0	-	5	1	48.0	0	-	4	75.8	0	-
28B	8	8	0	-	0	-	8	106.6	0	-	0	0	-	0	-	0	-	0	-
30A	5	3	0	-	0	-	3	111.0	0	-	2	0	-	1	55.0	1	77.0	0	-
30B	2	1	0	-	0	-	1	65.0	0	-	1	0	-	0	-	1	71.0	0	-
31A	2	2	1	47.2	0	-	1	102.5	0	-	0	0	-	0	-	0	-	0	-

Training Area	Total Count	Males										Females							
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
31B	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
CA01	15	7	0	-	0	-	7	98.6	0	-	8	1	38.0	2	59.5	5	72.6	0	-
CA02	6	4	0	-	0	-	4	112.9	0	-	2	0	-	0	-	2	67.8	0	-
CA03	3	1	0	-	0	-	1	118.0	0	-	2	0	-	0	-	2	66.0	0	-
CA04	6	5	0	-	0	-	3	76.0	0	-	1	1	29.0	0	-	0	-	0	-
CA05	4	1	0	-	0	-	1	90.5	0	-	3	0	-	1	52.0	1	71.0	0	-
CA06	8	6	0	-	0	-	6	97.7	0	-	2	0	-	1	71.0	0	-	0	-
CA07	4	2	0	-	0	-	2	90.0	0	-	2	1	31.0	0	-	1	74.0	0	-
CA08	1	1	0	-	0	-	1	121.0	0	-	0	0	-	0	-	0	-	0	-
CA09	2	2	1	38.0	0	-	1	93.0	0	-	0	0	-	0	-	0	-	0	-
CA10A	7	4	0	-	0	-	3	89.2	0	-	3	0	-	0	-	3	82.1	0	-
CA10B	2	2	0	-	0	-	2	104.8	0	-	0	0	-	0	-	0	-	0	-
CA11A	2	2	0	-	0	-	2	113.5	0	-	0	0	-	0	-	0	-	0	-
CA11B	1	1	0	-	0	-	1	105.0	0	-	0	0	-	0	-	0	-	0	-
CA12	4	2	0	-	0	-	2	110.5	0	-	2	1	38.5	0	-	1	49.0	0	-
CA13	10	5	0	-	0	-	4	102.9	0	-	5	1	33.0	0	-	4	70.0	0	-
CA14A	8	4	0	-	0	-	4	106.8	0	-	4	0	-	0	-	4	74.4	0	-
CA14B	12	6	1	44.5	0	-	5	116.1	0	-	6	3	34.7	0	-	3	70.2	0	-
CA15	30	12	2	42.0	0	-	9	101.9	0	-	18	2	30.5	4	58.3	12	78.2	0	-
CA16	27	17	3	42.3	1	58.5	13	103.4	0	-	10	3	35.8	0	-	7	83.6	0	-
CA17	17	9	2	39.5	0	-	7	97.9	0	-	8	1	33.0	2	51.5	5	78.6	0	-
CA18	2	2	0	-	0	-	2	111.0	0	-	0	0	-	0	-	0	-	0	-
CA19A	2	2	0	-	0	-	2	114.0	0	-	0	0	-	0	-	0	-	0	-
CA19B	7	2	0	-	0	-	2	113.0	0	-	5	1	51.0	1	46.5	3	77.2	0	-
CA20	4	1	0	-	0	-	1	104.0	0	-	3	0	-	0	-	3	79.8	0	-
CA21	9	5	0	-	0	-	5	106.0	0	-	4	0	-	0	-	4	74.1	0	-
CA22	5	5	0	-	0	-	5	111.3	0	-	0	0	-	0	-	0	-	0	-
CA23	3	1	0	-	0	-	1	124.0	0	-	2	0	-	0	-	2	75.0	0	-
CA24	2	2	0	-	0	-	2	79.0	0	-	0	0	-	0	-	0	-	0	-
CA25	5	3	0	-	0	-	3	118.0	0	-	2	0	-	0	-	2	66.0	0	-
CA26	2	1	0	-	0	-	1	102.2	0	-	1	0	-	0	-	1	72.5	0	-
CA27	1	1	0	-	0	-	1	97.0	0	-	0	0	-	0	-	0	-	0	-
TA Total	293	189	17	40.4	37	65.6	131	98.5	0	NA	104	20	34.5	12	52.0	69	69.0	0	NA
CA Total	211	118	9	41.4	1	58.5	103	103.5	0	NA	93	15	35.1	11	56.8	65	75.3	0	NA
TOTAL	504	307	26	40.7	38	65.4	234	100.7	0	NA	197	35	34.8	23	54.3	134	72.1	0	NA

Table 9: Harvest Density (D) per Huntable Square Mile by Area, Age and Sex

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
1A	0.4417	7	15.85	2	4.53	1	2.26	0	-	0	-	1	2.26	0	-	3	6.79	0	-
1B	0.6203	6	9.67	1	1.61	0	-	2	3.22	0	-	1	1.61	0	-	2	3.22	0	-
2	0.7018	4	5.70	0	-	1	1.42	2	2.85	0	-	0	-	0	-	0	-	0	-
3A	0.4067	7	17.21	0	-	1	2.46	1	2.46	0	-	2	4.92	1	2.46	2	4.92	0	-
3B	0.5419	6	11.07	0	-	1	1.85	4	7.38	0	-	1	1.85	0	-	0	-	0	-
4	0.1786	4	22.40	0	-	1	5.60	1	5.60	0	-	0	-	0	-	2	11.20	0	-
5A/MCA	0.9015	8	8.87	1	1.11	1	1.11	3	3.33	0	-	1	1.11	0	-	2	2.22	0	-
5B	0.4647	4	8.61	0	-	0	-	3	6.46	0	-	1	2.15	0	-	0	-	0	-
5C	1.0480	1	0.95	0	-	1	0.95	0	-	0	-	0	-	0	-	0	-	0	-
6A	0.6990	4	5.72	0	-	0	-	3	4.29	0	-	0	-	0	-	1	1.43	0	-
6B	1.2553	12	9.56	1	0.80	1	0.80	4	3.19	0	-	1	0.80	0	-	5	3.98	0	-
6C	0.9545	4	4.19	0	-	0	-	4	4.19	0	-	0	-	0	-	0	-	0	-
7A	1.1435	8	7.00	0	-	0	-	3	2.62	0	-	0	-	0	-	5	4.37	0	-
7B	0.5693	13	22.84	2	3.51	1	1.76	0	-	0	-	1	1.76	1	1.76	7	12.30	0	-
7C	0.9630	9	9.35	2	2.08	1	1.04	1	1.04	0	-	1	1.04	1	1.04	3	3.12	0	-
8A/MCC	1.7453	11	6.30	0	-	0	-	7	4.01	0	-	1	0.57	1	0.57	2	1.15	0	-
8B	0.4320	3	6.94	0	-	0	-	2	4.63	0	-	0	-	0	-	1	2.31	0	-
9A	0.8725	5	5.73	0	-	3	3.44	1	1.15	0	-	0	-	0	-	1	1.15	0	-
9B/MCB	1.4070	4	2.84	0	-	1	0.71	2	1.42	0	-	0	-	0	-	1	0.71	0	-
10A	0.8437	2	2.37	0	-	0	-	1	1.19	0	-	0	-	0	-	1	1.19	0	-
10B	0.4635	1	2.16	0	-	0	-	1	2.16	0	-	0	-	0	-	0	-	0	-
10C	0.4900	4	8.16	0	-	1	2.04	3	6.12	0	-	0	-	0	-	0	-	0	-
11A	0.4738	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
11B	0.8082	1	1.24	0	-	0	-	1	1.24	0	-	0	-	0	-	0	-	0	-
12A	0.8677	5	5.76	1	1.15	2	2.30	1	1.15	0	-	0	-	0	-	1	1.15	0	-
12B/MCD	1.4667	12	8.18	1	0.68	1	0.68	5	3.41	0	-	1	0.68	1	0.68	3	2.05	0	-
12C	0.5237	2	3.82	0	-	0	-	2	3.82	0	-	0	-	0	-	0	-	0	-
13A	0.9603	6	6.25	0	-	0	-	2	2.08	0	-	0	-	1	1.04	2	2.08	0	-
13B/MCE	0.6150	2	3.25	0	-	0	-	1	1.63	0	-	0	-	0	-	1	1.63	0	-
14A	0.8813	2	2.27	0	-	0	-	1	1.13	0	-	0	-	0	-	1	1.13	0	-
14B	0.4339	2	4.61	0	-	0	-	1	2.30	0	-	0	-	1	2.30	0	-	0	-
15A	0.8024	6	7.48	0	-	1	1.25	3	3.74	0	-	0	-	0	-	2	2.49	0	-
15B	1.3621	5	3.67	1	0.73	0	-	4	2.94	0	-	0	-	0	-	0	-	0	-
16A	0.5548	4	7.21	0	-	2	3.60	1	1.80	0	-	1	1.80	0	-	0	-	0	-

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
16B	1.1609	2	1.72	0	-	0	-	1	0.86	0	-	0	-	0	-	1	0.86	0	-
17A	0.6431	1	1.55	0	-	0	-	1	1.55	0	-	0	-	0	-	0	-	0	-
17B	0.4587	2	4.36	0	-	1	2.18	0	-	0	-	0	-	0	-	1	2.18	0	-
18A	0.6127	4	6.53	0	-	0	-	3	4.90	0	-	0	-	1	1.63	0	-	0	-
18B	0.7748	2	2.58	0	-	0	-	2	2.58	0	-	0	-	0	-	0	-	0	-
18C/MCF	1.1675	5	4.28	0	-	1	0.86	3	2.57	0	-	0	-	0	-	1	0.86	0	-
19A	1.1585	5	4.32	0	-	0	-	5	4.32	0	-	0	-	0	-	0	-	0	-
19B	0.6979	2	2.87	0	-	1	1.43	1	1.43	0	-	0	-	0	-	0	-	0	-
19C	1.0405	4	3.84	1	0.96	0	-	2	1.92	0	-	0	-	0	-	1	0.96	0	-
20A	1.4865	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
20B	0.9722	5	5.14	0	-	2	2.06	1	1.03	0	-	2	2.06	0	-	0	-	0	-
20C	1.119	2	1.79	0	-	0	-	1	0.89	0	-	1	0.89	0	-	0	-	0	-
20D	0.4602	1	2.17	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
21A	0.691	2	2.89	0	-	0	-	1	1.45	0	-	0	-	0	-	1	1.45	0	-
21B	0.887	4	4.51	0	-	3	3.38	1	1.13	0	-	0	-	0	-	0	-	0	-
21C	0.8834	2	2.26	0	-	0	-	0	-	0	-	0	-	0	-	2	2.26	0	-
21D	0.3772	1	2.65	0	-	1	2.65	0	-	0	-	0	-	0	-	0	-	0	-
22A	1.7701	8	4.52	0	-	1	0.56	4	2.26	0	-	0	-	1	0.56	2	1.13	0	-
22B	1.0873	1	0.92	0	-	0	-	1	0.92	0	-	0	-	0	-	0	-	0	-
23A	1.8086	4	2.21	0	-	1	0.55	2	1.11	0	-	1	0.55	0	-	0	-	0	-
23B	1.1381	1	0.88	0	-	0	-	1	0.88	0	-	0	-	0	-	0	-	0	-
24A	0.3439	3	8.72	0	-	0	-	1	2.91	0	-	1	2.91	0	-	1	2.91	0	-
24B	0.7294	5	6.85	0	-	0	-	1	1.37	0	-	0	-	1	1.37	3	4.11	0	-
24C	0.2883	7	24.28	2	6.94	1	3.47	0	-	0	-	1	3.47	1	3.47	1	3.47	0	-
25A	1.4287	7	4.90	0	-	1	0.70	5	3.50	0	-	0	-	0	-	0	-	0	-
25B	1.0858	5	4.60	0	-	1	0.92	4	3.68	0	-	0	-	0	-	0	-	0	-
25C	1.3796	4	2.90	0	-	0	-	4	2.90	0	-	0	-	0	-	0	-	0	-
26A	0.3332	2	6.00	0	-	2	6.00	0	-	0	-	0	-	0	-	0	-	0	-
26B	0.603	4	6.63	0	-	0	-	2	3.32	0	-	0	-	0	-	1	1.66	0	-
28A	0.5692	7	12.30	1	1.76	0	-	1	1.76	0	-	1	1.76	0	-	4	7.03	0	-
28B	1.722	8	4.65	0	-	0	-	8	4.65	0	-	0	-	0	-	0	-	0	-
30A	0.7548	5	6.62	0	-	0	-	3	3.97	0	-	0	-	1	1.32	1	1.32	0	-
30B	0.1289	2	15.52	0	-	0	-	1	7.76	0	-	0	-	0	-	1	7.76	0	-
31A	0.29	2	6.90	1	3.45	0	-	1	3.45	0	-	0	-	0	-	0	-	0	-
31B	0.4329	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
CA01	1.0851	15	13.82	0	-	0	-	7	6.45	0	-	1	0.92	2	1.84	5	4.61	0	-
CA02	0.4856	6	12.36	0	-	0	-	4	8.24	0	-	0	-	0	-	2	4.12	0	-
CA03	0.2180	3	13.76	0	-	0	-	1	4.59	0	-	0	-	0	-	2	9.17	0	-
CA04	0.5725	6	10.48	0	-	0	-	3	5.24	0	-	1	1.75	0	-	0	-	0	-
CA05	0.5690	4	7.03	0	-	0	-	1	1.76	0	-	0	-	1	1.76	1	1.76	0	-
CA06	0.4887	8	16.37	0	-	0	-	6	12.28	0	-	0	-	1	2.05	0	-	0	-
CA07	1.1411	4	3.51	0	-	0	-	2	1.75	0	-	1	0.88	0	-	1	0.88	0	-
CA08	0.3215	1	3.11	0	-	0	-	1	3.11	0	-	0	-	0	-	0	-	0	-
CA09	0.2522	2	7.93	1	3.97	0	-	1	3.97	0	-	0	-	0	-	0	-	0	-
CA10A	0.5607	7	12.48	0	-	0	-	3	5.35	0	-	0	-	0	-	3	5.35	0	-
CA10B	0.5559	2	3.60	0	-	0	-	2	3.60	0	-	0	-	0	-	0	-	0	-
CA11A	0.3141	2	6.37	0	-	0	-	2	6.37	0	-	0	-	0	-	0	-	0	-
CA11B	0.2662	1	3.76	0	-	0	-	1	3.76	0	-	0	-	0	-	0	-	0	-
CA12	0.3317	4	12.06	0	-	0	-	2	6.03	0	-	1	3.01	0	-	1	3.01	0	-
CA13	0.4362	10	22.93	0	-	0	-	4	9.17	0	-	1	2.29	0	-	4	9.17	0	-
CA14A	0.4538	8	17.63	0	-	0	-	4	8.81	0	-	0	-	0	-	4	8.81	0	-
CA14B	0.7641	12	15.70	1	1.31	0	-	5	6.54	0	-	3	3.93	0	-	3	3.93	0	-
CA15	0.7635	30	39.29	2	2.62	0	-	9	11.79	0	-	2	2.62	4	5.24	12	15.72	0	-
CA16	0.9274	27	29.11	3	3.23	1	1.08	13	14.02	0	-	3	3.23	0	-	7	7.55	0	-
CA17	1.2430	17	13.68	2	1.61	0	-	7	5.63	0	-	1	0.80	2	1.61	5	4.02	0	-
CA18	0.6244	2	3.20	0	-	0	-	2	3.20	0	-	0	-	0	-	0	-	0	-
CA19A	0.6070	2	3.29	0	-	0	-	2	3.29	0	-	0	-	0	-	0	-	0	-
CA19B	0.3698	7	18.93	0	-	0	-	2	5.41	0	-	1	2.70	1	2.70	3	8.11	0	-
CA20	0.5845	4	6.84	0	-	0	-	1	1.71	0	-	0	-	0	-	3	5.13	0	-
CA21	0.9262	9	9.72	0	-	0	-	5	5.40	0	-	0	-	0	-	4	4.32	0	-
CA22	0.3624	5	13.80	0	-	0	-	5	13.80	0	-	0	-	0	-	0	-	0	-
CA23	0.3619	3	8.29	0	-	0	-	1	2.76	0	-	0	-	0	-	2	5.53	0	-
CA24	0.2707	2	7.39	0	-	0	-	2	7.39	0	-	0	-	0	-	0	-	0	-
CA25	0.4199	5	11.91	0	-	0	-	3	7.14	0	-	0	-	0	-	2	4.76	0	-
CA26	0.2589	2	7.72	0	-	0	-	1	3.86	0	-	0	-	0	-	1	3.86	0	-
CA27	0.2817	1	3.55	0	-	0	-	1	3.55	0	-	0	-	0	-	0	-	0	-
TA Total	57.379	293	5.11	17	0.30	37	0.64	131	2.28	0	-	20	0.35	12	0.21	69	1.20	0	-
CA Total	16.818	211	12.55	9	0.54	1	0.06	103	6.12	0	-	15	0.89	11	0.65	65	3.86	0	-
TOTAL	74.196	504	6.79	26	0.35	38	0.51	234	3.15	0	-	35	0.47	23	0.31	134	1.81	0	0.00

Table 9: Hunter Effort and Success Rates by Area



Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
1A	7	95	425.2	13.6	60.7
1B	6	97	428.0	16.2	71.3
2	4	208	1055.6	52.0	263.9
3A	7	122	626.8	17.4	89.5
3B	6	145	791.4	24.2	131.9
4	4	80	620.3	20.0	155.1
5A/MCA	8	147	785.0	18.4	98.1
5B	4	93	473.5	23.3	118.4
5C	1	90	572.0	90.0	572.0
6A	4	108	723.0	27.0	180.8
6B	12	239	1405.2	19.9	117.1
6C	4	96	531.0	24.0	132.7
7A	8	139	854.0	17.4	106.7
7B	13	128	670.2	9.8	51.6
7C	9	124	720.2	13.8	80.0
8A/MCC	11	115	734.5	10.5	66.8
8B	3	41	215.8	13.7	71.9
9A	5	85	629.6	17.0	125.9
9B/MCB	4	96	654.1	24.0	163.5
10A	2	82	509.2	41.0	254.6
10B	1	38	269.2	38.0	269.2
10C	4	52	258.3	13.0	64.6
11A	0	65	357.7	0.0	0.0
11B	1	65	386.7	65.0	386.7
12A	5	96	571.4	19.2	114.3
12B/MCD	12	93	564.6	7.8	47.1
12C	2	49	251.9	24.5	125.9
13A	6	152	734.7	25.3	122.4
13B/MCE	2	68	377.3	34.0	188.6
14A	2	142	750.0	71.0	375.0
14B	2	88	556.9	44.0	278.4
15A	6	112	793.8	18.7	132.3
15B	5	129	665.6	25.8	133.1
16A	4	42	255.8	10.5	64.0

Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
16B	2	99	416.0	49.5	208.0
17A	1	58	445.1	58.0	445.1
17B	2	42	259.7	21.0	129.8
18A	4	121	690.2	30.3	172.5
18B	2	68	371.3	34.0	185.6
18C/MCF	5	106	554.8	21.2	111.0
19A	5	85	438.6	17.0	87.7
19B	2	61	385.8	30.5	192.9
19C	4	30	238.8	7.5	59.7
20A	0	82	505.6	0.0	0.0
20B	5	112	654.8	22.4	131.0
20C	2	76	462.9	38.0	231.5
20D	1	50	246.6	50.0	246.6
21A	2	78	392.3	39.0	196.2
21B	4	124	718.3	31.0	179.6
21C	2	79	459.8	39.5	229.9
21D	1	69	354.9	69.0	354.9
22A	8	154	894.2	19.3	111.8
22B	1	28	219.8	28.0	219.8
23A	4	188	1131.6	47.0	282.9
23B	1	49	253.0	49.0	253.0
24A	3	80	497.2	26.7	165.7
24B	5	129	857.4	25.8	171.5
24C	7	53	291.9	7.6	41.7
25A	7	195	1219.2	27.9	174.2
25B	5	130	762.0	26.0	152.4
25C	4	98	591.6	24.5	147.9
26A	2	51	285.3	25.5	142.6
26B	4	91	546.1	22.8	136.5
28A	7	86	546.5	12.3	78.1
28B	8	203	1383.4	25.4	172.9
30A	5	78	495.5	15.6	99.1
30B	2	15	69.3	7.5	34.7
31A	2	50	230.6	25.0	115.3
31B	0	48	225.9	0.0	0.0
CA01	15	162	973.3	10.8	64.9

Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
CA02	6	112	727.6	18.7	121.3
CA03	3	50	303.4	16.7	101.1
CA04	6	65	423.8	10.8	70.6
CA05	4	18	127.1	4.5	31.8
CA06	8	35	252.2	4.4	31.5
CA07	4	51	303.6	12.8	75.9
CA08	1	22	207.5	22.0	207.5
CA09	2	66	404.4	33.0	202.2
CA10A	7	50	331.8	7.1	47.4
CA10B	2	34	218.5	17.0	109.3
CA11A	2	61	373.2	30.5	186.6
CA11B	1	64	376.6	64.0	376.6
CA12	4	67	441.7	16.8	110.4
CA13	10	72	508.2	7.2	50.8
CA14A	8	116	891.1	14.5	111.4
CA14B	12	131	1012.1	10.9	84.3
CA15	30	245	1794.4	8.2	59.8
CA16	27	193	1351.7	7.1	50.1
CA17	17	121	907.8	7.1	53.4
CA18	2	87	588.6	43.5	294.3
CA19A	2	70	651.7	35.0	325.8
CA19B	7	52	325.0	7.4	46.4
CA20	4	108	702.9	27.0	175.7
CA21	9	63	403.2	7.0	44.8
CA22	5	28	237.5	5.6	47.5
CA23	3	31	271.5	10.3	90.5
CA24	2	20	139.2	10.0	69.6
CA25	5	102	647.2	20.4	129.4
CA26	2	60	394.8	30.0	197.4
CA27	1	56	320.8	56.0	320.8
TA Total	293	6,539.0	38,087.8	22.3	130.0
CA Total	211	2,412.0	16,612.2	11.4	78.7
Total	504	8,951.0	54,700.0	17.8	108.5



Historical Data Comparison

Chart 1: Harvest Sex Ratio



Historical Data Comparison

Chart 2: Buck Harvest Age Structure



Historical Data Comparison

Chart 3: Doe Harvest Age Structure






Chart 4: Training Area and Controlled Access Area Comparison






Chart 5: Historical Buck to Doe Harvest Ratios




Table 10: Reproductive Statistics Comparison

	2024-2025	2023-2024	2022-2023
Fawn to Doe Ratio: # of fawns per bearing age (2.5+ yr old) doe harvested	0.46	0.63	0.39
% Fawns in the total antlerless harvest	26.2%	32.3%	23.8%
% Fawns in the total deer harvest	12.1%	13.5%	8.3%
Lactation Rate: for 2.5 yr olds	11.1%	66.7%	50.0%
Lactation Rate: for 3.5 yr olds	52.5%	55.6%	63.3%

Chart 6: Comparison Hunting Trips

