


FORT A.P. Hill DEER HARVEST REPORT 2025 - 2026



Fort A.P. Hill 2025-2026 Deer Harvest Report

The 2025-2026 total deer harvest for Fort A.P. Hill (FAPH) was 401, which is down from the 2024-2025 season harvest of 504 (-20%). There were 224 (56%) bucks and 177 (44%) does harvested. The number of hunting trips decreased from 8,951 (2024) to 7,403 (2025). The number of hours to harvest a deer remained similar at 107.8 hours compared to 108.5 hours in 2024. A more in-depth review of the harvest data can be found in the data section of this report.

2025-2026 Hunting Season Review

The 2025-2026 season was impacted in multiple ways due to the government shutdown. The halt on permit sales and background checks reduced hunter participation and the volume of hunting trips. Fortunately, we were able to keep hunting open, but restrictions such as no muzzleloaders and CA area closure impacted the overall harvest. We encourage you to process your background check before October 1st as this date marks the start of the fiscal year. This may help avoid potential delays in processing your paperwork in the event of a government shutdown in the future.

Going into the season, the expectation was to harvest more does due to increased either-sex days and antlerless tags available. We added an additional 21 either-sex days during general firearms season to promote doe harvest, especially in the CAs. We harvested 177 does, which is a 10% decrease from last year, but the third highest doe harvest in the last 12 years. Typically, the two weeks of muzzleloader make up 30% or more of our total deer harvest and the majority of our mature bucks. This year it contributed to only 12% of our total deer harvest resulting in our lowest annual buck harvest since 1985. Due to the CA's being closed for half the season, there was a 40% drop in harvest in the CA's year over year. Despite the decrease in harvest, we feel the deer herd is in great health and believe the low deer harvest is due to the variables surrounding the government shutdown (fewer check-ins, permit sales, CA closures, muzzleloader restrictions etc).

We continue to place an emphasis on failed check-outs. Please continue to be diligent in your communication with us, and one another to avoid failed checkouts. Another violation that occurred several times this past season was the dumping of deer carcasses. Reminder, besides field dressing, the carcass MUST leave with you.

Approximately 1% of the deer harvested showed signs of having survived Epizootic Hemorrhagic Disease (EHD). We had very few reports of dead deer along bodies of water this summer/fall. With the combination of multiple minor outbreaks in the last few years and lack of dead deer sightings, the assumption would be that immunity is strong in the deer herd. Please report all dead deer sightings, especially in the September scouting season.

Continue to monitor iSportsman throughout the year as this is our best way to communicate changes to regulations, gate closures, additional either-sex days, etc. This includes reading ALL acknowledgements before accepting them.

Bears and Feral Hogs

No bears were harvested on FAPH again this season. Bear sightings have remained consistent at several per year. Bears were harvested for two consecutive seasons, one in 2012 and one in 2013. It is not believed there are resident bears calling FAPH their home currently.

No hog sightings have been reported in years. If a hunter does see a feral hog or feral hog sign, we ask that you report it immediately.

Expectations for Next Season

Next season's antler production and weights are expected to be up due to this fall's excellent acorn production. The deer herd is in good condition, and the expectation is an increase in harvest for next season.

We do not anticipate any major changes to next year's regulations or recreational map. Our objective is to increase doe harvest and will manage accordingly for the 2026-2027 season. These objectives are based on current deer herd conditions but could be adjusted as conditions change (ex. EHD outbreak). There will always be minor changes as we continue to improve the program, so please read the 2026-2027 regulations from front to back.

Please continue to report violations, sightings, or anything out of the ordinary, as you are part of making Fort A.P. Hill a great experience for everyone. Thank you for your support and assistance during this past season with managing the natural resources on FAPH. We look forward to seeing everyone during turkey season.

Table 1: Harvest Totals and Percentage by Area and Sex

2025-2026	Harvest		% of Total Harvest
Males	224		55.9%
TA	163	72.8%	40.6%
CA	61	27.2%	15.2%
Females	177		44.1%
TA	113	63.8%	28.2%
CA	64	36.2%	16.0%
Total Harvest	401		100.0%
TA	276		68.8%
CA	125		31.2%

2024-2025	Harvest		% of Total Harvest
Males	307		60.9%
TA	189	61.6%	37.5%
CA	118	38.4%	23.4%
Females	197		39.1%
TA	104	52.8%	20.6%
CA	93	47.2%	18.5%
Total Harvest	504		100.0%
TA	293		58.1%
CA	211		41.9%

Table 2a: Age Distribution

Age Class	Male		Female		Total	
	NO.	(%)	NO.	(%)	NO.	(%)
0.5 year-olds (Fawns)	26	11.6%	15	8.5%	41	10.2%
1.5 year-olds (Yearlings)	24	10.7%	22	12.4%	46	11.5%
2.5 year-olds	67	29.9%	48	27.1%	115	28.7%
3.5 year-olds	47	21.0%	33	18.6%	80	20.0%
4.5 year-olds	31	13.8%	15	8.5%	46	11.5%
5.5 year-olds	15	6.7%	24	13.6%	39	9.7%
6.5 year-olds	4	1.8%	17	9.6%	21	5.2%
7.5 year-olds	1	0.4%	0	0.0%	1	0.2%
8.5 year-olds +	0	0.0%	0	0.0%	0	0.0%
Unknown	9	4.0%	3	1.7%	12	3.0%
Totals	224		177		401	

Table 2b: Age Distribution Historical Comparison

Age Class	Male			Female			Total		
	2025-2026	2024-2025	2023-2024	2025-2026	2024-2025	2023-2024	2025-2026	2024-2025	2023-2024
0.5 year-olds (Fawns)	11.6%	8.5%	12.2%	8.5%	17.8%	16.3%	10.2%	12.1%	13.5%
1.5 year-olds (Yearlings)	10.7%	12.4%	10.3%	12.4%	11.7%	14.5%	11.5%	12.1%	11.6%
2.5 year-olds	29.9%	25.7%	29.4%	27.1%	17.3%	18.1%	28.7%	22.4%	25.9%
3.5 year-olds	21.0%	24.1%	18.9%	18.6%	18.8%	17.5%	20.0%	22.0%	18.4%
4.5 year-olds	13.8%	15.6%	15.0%	8.5%	12.2%	13.3%	11.5%	14.3%	14.4%
5.5 year-olds	6.7%	8.1%	9.4%	13.6%	12.7%	12.7%	9.7%	9.9%	10.5%
6.5 year-olds	1.8%	3.3%	2.8%	9.6%	5.1%	4.2%	5.2%	4.0%	3.2%
7.5 year-olds	0.4%	0.0%	0.0%	0.0%	2.0%	1.8%	0.2%	0.8%	0.6%
8.5 year-olds +	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Unknown	4.0%	2.3%	1.9%	1.7%	1.4%	1.4%	3.0%	2.4%	1.9%

Table 2c: Age Distribution Historical Comparison

Year	Bucks - Age %			Does - Age %		
	0.5	1.5	2.5+	0.5	1.5	2.5+
2020-2021	4%	12%	83%	14%	13%	73%
2021-2022	10%	10%	79%	15%	11%	72%
2022-2023	8%	16%	74%	10%	15%	74%
2023-2024	12%	10%	76%	16%	15%	67%
2024-2025	9%	12%	79%	18%	12%	70%
2025-2026	12%	11%	74%	9%	12%	75%

Table 3: Statistics for Females

Age Class	Dressed Weight		Lactation Rates (October)	
	Avg.	No.	Percent	No.
0.5 year-olds (Fawns)	39.0	15	-	-
1.5 year-olds (Yearlings)	57.1	22	0.0%	0
2.5 year-olds	71.6	48	9.1%	1
3.5 year-olds +	74.1	89	48.3%	14

Table 4: Statistics for Males

Age Class	% of Total	Dressed Weight		Antler Points		Beam Diameter (mm)		Outside Spread (in)		Beam Length (in)	
		Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.	Avg.	No.
0.5 year-olds	11.6%	41.3	26	-	-	-	-	-	-	-	-
1.5 year-olds	10.7%	68.7	24	2.4	20	12.8	19	5.7	18	5.7	19
2.5 year-olds	29.9%	86.5	67	5.5	66	22.2	66	12.1	66	13.5	66
3.5 year-olds +	43.8%	107.3	98	7.5	98	31.5	98	18.3	98	19.3	98

Table 5: Buck Harvest by Area and Number of Antler Points

# of Points	Total		TA		CA	
	#	D	#	D	#	D
BB	31	0.42	16	0.28	15	0.89
1	1	0.01	1	0.02	0	0.00
2	19	0.26	15	0.26	4	0.24
3	9	0.12	8	0.14	1	0.06
4	14	0.19	11	0.19	3	0.18
5	15	0.20	13	0.23	2	0.12
6	33	0.44	21	0.37	12	0.71
7	29	0.39	25	0.44	4	0.24
8	55	0.74	41	0.71	14	0.83
9	12	0.16	7	0.12	5	0.30
10	3	0.04	2	0.03	1	0.06
11	2	0.03	2	0.03	1	0.06
12	0	0.00	0	0.00	0	0.00
13	0	0.00	0	0.00	0	0.00
14	0	0.00	0	0.00	0	0.00
15	0	0.00	0	0.00	0	0.00
16	0	0.00	0	0.00	0	0.00
17	0	0.00	0	0.00	0	0.00
18	1	0.01	0	0.00	0	0.00
SHED	1	0.01	1	0.02	0	0.00
D = Density (# deer harvested per square mile)						

Table 6: Antler Measurements

	2025-2026				2024-2025		
	Total	TA	CA		Total	TA	CA
# Antlered	192	146	47		271	165	106
# 8pt +	73	52	21		108	57	51
% 8pt +	38.0%	35.6%	44.7%		39.9%	34.5%	48.1%
Harvest Density (8pt+ per SQ Mi)	0.98	0.91	1.25		1.46	0.99	3.03
% 1.5 w/ Spikes	62.5%	65.0%	50.0%		59.5%	59.5%	N/A
Avg 1.5 Beam Diameter (mm)	12.8	12.3	15.3		14.9	14.9	N/A
Avg 2.5+ Beam Diameter (mm)	27.8	27.2	29.3		29.0	27.7	30.7
Avg 1.5 Beam Length (in)	5.7	5.3	7.3		6.0	6.0	N/A
Avg 2.5+ Beam Length (in)	17.0	16.7	17.7		17.1	16.4	18.0
Avg 1.5 Outside Spread (in)	5.7	5.5	6.8		6.3	6.3	N/A
Avg 2.5+ Outside Spread (in)	15.8	15.5	16.8		16.0	15.3	16.9

Table 7: Harvest Totals by area and sex.

2025-2026 Deer Harvest Update: TAs					
1/3/2026			Total Deer: 276		
TA	Antlered	Doe/BB	TA	Antlered	Doe/BB
1A	-	4	17A	-	1
1B	2	2	17B	1	1
2	3	1	18A	-	3
3A	3	2	18B	2	2
3B	6	3	18C/MCF	2	2
4	2	-	19A	-	1
5A/MCA	2	8	19B	1	-
5B	2	2	19C	-	2
5C	2	-	20A	2	3
6A	1	-	20B	4	2
6B	3	3	20C	1	-
6C	-	-	20D	2	-
7A	5	6	21A	4	-
7B	3	5	21B	-	-
7C	6	5	21C	2	2
8A/MCC	1	4	21D	2	-
8B	1	1	22A	2	4
9A	1	1	22B	5	2
9B/MCB	3	5	23A	3	2
10A	2	2	23B	1	1
10B	-	-	24A	-	1
10C	3	-	24B	1	2
11A	1	2	24C	2	3
11B	-	3	25A	6	1
12A	1	3	25B	2	3
12B/MCD	6	2	25C	3	-
12C	3	2	26A	1	-
13A	1	-	26B	2	1
13B/MCE	2	1	28A	1	5
14A	1	1	28B	9	3
14B	1	-	30A	3	3
15A	2	1	30B	-	2
15B	6	2	31A	1	-
16A	2	2	31B	2	1
16B	5	1	Drop Zone	-	-
TOTAL	82	74	TOTAL	67	53
	156			120	

2025-2026 Deer Harvest Update: CAs					
1/3/2026			Total Deer: 125		
CA	Antlered	Doe/BB	CA	Antlered	Doe/BB
1	1	5	14A	4	1
2	-	-	14B	2	2
3	-	-	15	4	8
4	1	-	16	3	10
5	-	-	17	6	4
6	4	-	18	1	2
7	2	3	19A	5	1
8	2	2	19B	2	1
9	1	1	20	2	3
10A	-	4	21	-	1
10B	2	3	22	2	8
11A	-	3	23	1	2
11B	-	1	24	-	-
12	2	3	25	2	2
13	1	4	26	-	1
			27	-	-
TOTAL	16	29	TOTAL	34	46
	45			80	

BB stands for Button Buck

Table 8: Harvest Totals and Average Weight in lbs (W) by Area, Age and Sex

Training Area	Total Count	Males									Females								
		All	0.5	W	1.5	W	2.5+	W	Unkn	W	All	0.5	W	1.5	W	2.5+	W	Unkn	W
1A	4	1	1	35.0	0	-	0	-	0	-	3	0	-	1	67.0	2	77.0	0	-
1B	4	3	1	44.0	0	-	2	90.0	0	-	1	0	-	0	-	1	69.0	0	-
2	4	3	0	-	0	-	3	84.3	0	-	1	0	-	0	-	1	77.0	0	-
3A	5	3	0	-	0	-	3	85.3	0	-	2	0	-	0	-	2	62.3	0	-
3B	9	6	0	-	1	67.0	4	91.8	1	101.4	3	0	-	1	58.5	2	79.5	0	-
4	2	2	0	-	0	-	1	74.0	1	90.5	0	0	-	0	-	0	-	0	-
5A/MCA	10	2	0	-	0	-	2	97.8	0	-	8	0	-	1	43.0	7	71.2	0	-
5B	4	2	0	-	0	-	2	87.0	0	-	2	0	-	0	-	2	64.5	0	-
5C	2	2	0	-	0	-	2	95.0	0	-	0	0	-	0	-	0	-	0	-
6A	1	1	0	-	1	70.5	0	-	0	-	0	0	-	0	-	0	-	0	-
6B	6	3	0	-	1	49.0	2	76.3	0	-	3	0	-	0	-	3	81.1	0	-
6C	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
7A	11	5	0	-	2	81.0	3	86.5	0	-	6	0	-	1	61.0	5	62.8	0	-
7B	8	5	2	37.8	0	-	3	84.7	0	-	3	0	-	1	45.0	2	69.5	0	-
7C	11	7	1	36.5	0	-	6	93.2	0	-	4	1	25.0	0	-	3	68.9	0	-
8A/MCC	5	1	0	-	0	-	1	87.5	0	-	4	1	41.5	2	53.0	1	65.0	0	-
8B	2	1	0	-	0	-	1	107.5	0	-	1	0	-	0	-	1	61.5	0	-
9A	2	1	0	-	1	56.5	0	-	0	-	1	0	-	0	-	1	67.0	0	-
9B/MCB	8	5	2	41.3	1	60.0	2	99.1	0	-	3	0	-	0	-	3	70.1	0	-
10A	4	2	0	-	0	-	2	101.5	0	-	2	0	-	0	-	2	77.3	0	-
10B	0	0	0	-	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-
10C	3	3	0	-	0	-	3	94.7	0	-	0	0	-	0	-	0	-	0	-
11A	3	1	0	-	0	-	1	112.0	0	-	2	0	-	0	-	2	79.8	0	-
11B	3	1	1	38.2	0	-	0	-	0	-	2	0	-	0	-	2	52.3	0	-
12A	4	2	0	-	1	74.0	1	93.0	0	-	2	0	-	1	40.0	1	84.2	0	-
12B/MCD	8	6	0	-	1	81.5	5	98.5	0	-	2	0	-	0	-	2	73.8	0	-
12C	5	3	0	-	0	-	3	99.0	0	-	2	1	33.5	0	-	1	68.5	0	-
13A	1	1	0	-	0	-	1	98.0	0	-	0	0	-	0	-	0	-	0	-
13B/MCE	3	3	0	-	2	61.1	1	86.5	0	-	0	0	-	0	-	0	-	0	-
14A	2	1	0	-	0	-	0	-	1	105.0	1	0	-	0	-	1	79.5	0	-
14B	1	1	0	-	0	-	1	92.5	0	-	0	0	-	0	-	0	-	0	-
15A	3	2	0	-	0	-	2	95.3	0	-	1	0	-	0	-	1	65.0	0	-
15B	8	6	0	-	0	-	6	99.3	0	-	2	1	29.5	0	-	1	75.0	0	-
16A	4	3	1	36.0	0	-	1	99.5	1	112.5	1	0	-	0	-	1	69.5	0	-
16B	6	5	0	-	0	-	5	95.1	0	-	1	1	42.0	0	-	0	-	0	-

17A	1	0	0	-	0	-	0	-	1	0	-	0	-	1	72.5	0	-	
17B	2	1	0	-	0	-	1	101.0	0	0	-	0	-	1	76.0	0	-	
18A	3	1	1	36.0	0	-	0	-	2	0	-	1	53.4	1	90.5	0	-	
18B	4	2	0	-	0	-	2	122.5	0	0	-	0	-	2	71.0	0	-	
18C/MCF	4	2	0	-	2	67.5	0	-	2	0	-	1	63.0	1	77.5	0	-	
19A	1	0	0	-	0	-	0	-	1	0	-	0	-	1	78.5	0	-	
19B	1	1	0	-	0	-	1	106.5	0	0	-	0	-	0	-	0	-	
19C	2	0	0	-	0	-	0	-	2	0	-	0	-	2	80.3	0	-	
20A	5	3	1	48.5	0	-	2	92.0	0	1	50.0	0	-	1	82.0	0	-	
20B	6	4	0	-	1	83.5	3	104.3	0	0	-	1	59.0	1	76.5	0	-	
20C	1	1	0	-	0	-	1	88.0	0	0	-	0	-	0	-	0	-	
20D	2	2	0	-	0	-	1	102.0	1	104.0	0	0	-	0	-	0	-	
21A	4	4	0	-	0	-	4	98.3	0	0	-	0	-	0	-	0	-	
21B	0	0	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-	
21C	4	2	0	-	0	-	2	113.5	0	0	-	0	-	2	76.0	0	-	
21D	2	2	0	-	0	-	1	90.0	1	108.0	0	0	-	0	-	0	-	
22A	6	2	0	-	1	58.0	1	66.0	0	4	2	41.5	0	-	2	72.5	0	-
22B	7	5	0	-	0	-	5	89.9	0	2	0	-	0	-	2	63.5	0	-
23A	5	3	0	-	1	63.0	2	106.9	0	2	0	-	0	-	2	70.8	0	-
23B	2	2	1	33.0	0	-	1	102.0	0	0	0	-	0	-	0	-	0	-
24A	1	0	0	-	0	-	0	-	1	0	-	0	-	1	59.5	0	-	
24B	3	1	0	-	0	-	1	130.5	0	2	0	-	0	-	2	63.8	0	-
24C	5	2	0	-	0	-	2	115.0	0	3	0	-	1	53.0	1	68.5	1	81.0
25A	7	6	0	-	1	60.5	5	99.3	0	1	0	-	0	-	1	62.0	0	-
25B	5	2	0	-	0	-	2	101.8	0	3	0	-	2	65.3	1	82.5	0	-
25C	3	3	0	-	0	-	3	81.5	0	0	0	-	0	-	0	-	0	-
26A	1	1	0	-	0	-	1	80.0	0	0	0	-	0	-	0	-	0	-
26B	3	2	0	-	1	57.0	1	94.5	0	1	0	-	0	-	1	79.0	0	-
28A	6	1	0	-	1	84.0	0	-	5	0	-	0	-	5	74.7	0	-	
28B	12	9	0	-	1	80.0	6	110.2	2	3	0	-	1	45.0	2	72.8	0	-
30A	6	3	0	-	0	-	3	119.2	0	3	0	-	2	59.3	1	76.0	0	-
30B	2	0	0	-	0	-	0	-	2	1	41.0	0	-	1	74.0	0	-	
31A	1	1	0	-	0	-	1	98.0	0	0	0	-	0	-	0	-	0	-
31B	3	2	0	-	0	-	2	122.0	0	1	0	-	0	-	1	71.5	0	-
CA01	6	2	1	31.5	0	-	1	116.0	0	4	1	41.0	0	-	3	75.5	0	-
CA02	0	0	0	-	0	-	0	-	0	0	0	-	0	-	0	-	0	-
CA03	0	0	0	-	0	-	0	-	0	0	0	-	0	-	0	-	0	-
CA04	1	1	0	-	0	-	1	80.0	0	0	0	-	0	-	0	-	0	-

CA05	0	0	0	-	0	-	0	-	0	0	-	0	-	0	-	0	-	
CA06	4	4	0	-	1	61.0	3	93.0	0	0	-	0	-	0	-	0	-	
CA07	5	2	0	-	0	-	2	101.3	0	3	0	-	0	-	3	74.5	0	-
CA08	4	3	1	36.0	0	-	2	97.7	0	1	0	-	0	-	1	83.0	0	-
CA09	2	1	0	-	0	-	1	97.0	0	1	0	-	0	-	1	90.0	0	-
CA10A	4	0	0	-	0	-	0	-	0	4	0	-	0	-	3	70.8	1	-
CA10B	5	3	1	-	0	-	1	114.5	1	2	0	-	0	-	2	76.3	0	-
CA11A	3	2	2	35.8	0	-	0	-	0	1	0	-	0	-	1	74.0	0	-
CA11B	1	0	0	-	0	-	0	-	0	1	0	-	0	-	1	76.5	0	-
CA12	5	3	1	42.0	1	76.5	1	125.0	0	2	0	-	0	-	2	63.3	0	-
CA13	5	1	0	-	0	-	1	94.0	0	4	0	-	0	-	4	77.1	0	-
CA14A	5	4	0	-	0	-	4	106.3	0	1	0	-	0	-	1	76.0	0	-
CA14B	4	2	2	47.5	0	-	0	-	0	2	0	-	0	-	2	73.3	0	-
CA15	12	4	0	-	0	-	4	100.0	0	8	3	37.0	0	-	5	73.8	0	-
CA16	13	5	3	45.2	0	-	2	103.4	0	8	0	-	1	61.0	6	81.3	1	43.0
CA17	10	7	1	47.0	0	-	6	112.6	0	3	1	42.0	1	61.5	1	76.0	0	-
CA18	3	1	0	-	0	-	1	95.5	0	2	0	-	0	-	2	81.5	0	-
CA19A	6	5	0	-	0	-	5	106.5	0	1	0	-	0	-	1	74.5	0	-
CA19B	3	2	0	-	0	-	2	97.0	0	1	0	-	0	-	1	72.5	0	-
CA20	5	4	2	54.1	1	69.0	1	89.0	0	1	0	-	0	-	1	94.0	0	-
CA21	1	0	0	-	0	-	0	-	0	1	0	-	0	-	1	93.5	0	-
CA22	10	2	0	-	0	-	2	106.3	0	8	1	45.5	2	63.5	5	71.2	0	-
CA23	3	1	0	-	0	-	1	125.0	0	2	0	-	1	63.0	1	67.5	0	-
CA24	0	0	0	-	0	-	0	-	0	0	0	-	0	-	0	-	0	-
CA25	4	2	0	-	1	77.5	1	98.3	0	2	0	-	0	-	2	75.8	0	-
CA26	1	0	0	-	0	-	0	-	0	1	0	-	0	-	1	66.0	0	-
CA27	0	0	0	-	0	-	0	-	0	0	0	-	0	-	0	-	0	-
TA Total	276	163	12	38.8	20	68.2	123	97.1	8	113	9	38.4	17	55.5	86	71.7	1	81.0
CA Total	125	61	14	40.5	4	71.0	42	103.8	1	64	6	39.9	5	62.5	51	75.8	2	43.0
TOTAL	401	224	26	41.3	24	68.7	165	98.8	9	177	15	39.0	22	57.1	137	73.2	3	62.0

Table 9: Harvest Density (D) per Huntable Square Mile by Area, Age and Sex

Training Area	Area Size (SQ Mi)	Total Count	Total D	Males								Females							
				0.5	D	1.5	D	2.5+	D	Unkn	D	0.5	D	1.5	D	2.5+	D	Unkn	D
1A	0.4417	4	9.06	1	2.26	0	-	0	-	0	-	0	-	1	2.26	2	4.53	0	-
1B	0.6203	4	6.45	1	1.61	0	-	2	3.22	0	-	0	-	0	-	1	1.61	0	-
2	0.7018	4	5.70	0	-	0	-	3	4.27	0	-	0	-	0	-	1	1.42	0	-
3A	0.4067	5	12.29	0	-	0	-	3	7.38	0	-	0	-	0	-	2	4.92	0	-
3B	0.5419	9	16.61	0	-	1	1.85	4	7.38	1	1.85	0	-	1	1.85	2	3.69	0	-
4	0.1786	2	11.20	0	-	0	-	1	5.60	1	5.60	0	-	0	-	0	-	0	-
5A/MCA	0.9015	10	11.09	0	-	0	-	2	2.22	0	-	0	-	1	1.11	7	7.76	0	-
5B	0.4647	4	8.61	0	-	0	-	2	4.30	0	-	0	-	0	-	2	4.30	0	-
5C	1.0480	2	1.91	0	-	0	-	2	1.91	0	-	0	-	0	-	0	-	0	-
6A	0.6990	1	1.43	0	-	1	1.43	0	-	0	-	0	-	0	-	0	-	0	-
6B	1.2553	6	4.78	0	-	1	0.80	2	1.59	0	-	0	-	0	-	3	2.39	0	-
6C	0.9545	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
7A	1.1435	11	9.62	0	-	2	1.75	3	2.62	0	-	0	-	1	0.87	5	4.37	0	-
7B	0.5693	8	14.05	2	3.51	0	-	3	5.27	0	-	0	-	1	1.76	2	3.51	0	-
7C	0.9630	11	11.42	1	1.04	0	-	6	6.23	0	-	1	1.04	0	-	3	3.12	0	-
8A/MCC	1.7453	5	2.86	0	-	0	-	1	0.57	0	-	1	0.57	2	1.15	1	0.57	0	-
8B	0.4320	2	4.63	0	-	0	-	1	2.31	0	-	0	-	0	-	1	2.31	0	-
9A	0.8725	2	2.29	0	-	1	1.15	0	-	0	-	0	-	0	-	1	1.15	0	-
9B/MCB	1.4070	8	5.69	2	1.42	1	0.71	2	1.42	0	-	0	-	0	-	3	2.13	0	-
10A	0.8437	4	4.74	0	-	0	-	2	2.37	0	-	0	-	0	-	2	2.37	0	-
10B	0.4635	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
10C	0.4900	3	6.12	0	-	0	-	3	6.12	0	-	0	-	0	-	0	-	0	-
11A	0.4738	3	6.33	0	-	0	-	1	2.11	0	-	0	-	0	-	2	4.22	0	-
11B	0.8082	3	3.71	1	1.24	0	-	0	-	0	-	0	-	0	-	2	2.47	0	-
12A	0.8677	4	4.61	0	-	1	1.15	1	1.15	0	-	0	-	1	1.15	1	1.15	0	-
12B/MCD	1.4667	8	5.45	0	-	1	0.68	5	3.41	0	-	0	-	0	-	2	1.36	0	-
12C	0.5237	5	9.55	0	-	0	-	3	5.73	0	-	1	1.91	0	-	1	1.91	0	-
13A	0.9603	1	1.04	0	-	0	-	1	1.04	0	-	0	-	0	-	0	-	0	-
13B/MCE	0.6150	3	4.88	0	-	2	3.25	1	1.63	0	-	0	-	0	-	0	-	0	-
14A	0.8813	2	2.27	0	-	0	-	0	-	1	1.13	0	-	0	-	1	1.13	0	-
14B	0.4339	1	2.30	0	-	0	-	1	2.30	0	-	0	-	0	-	0	-	0	-
15A	0.8024	3	3.74	0	-	0	-	2	2.49	0	-	0	-	0	-	1	1.25	0	-
15B	1.3621	8	5.87	0	-	0	-	6	4.40	0	-	1	0.73	0	-	1	0.73	0	-
16A	0.5548	4	7.21	1	1.80	0	-	1	1.80	1	1.80	0	-	0	-	1	1.80	0	-
16B	1.1609	6	5.17	0	-	0	-	5	4.31	0	-	1	0.86	0	-	0	-	0	-

17A	0.6431	1	1.55	0	-	0	-	0	-	0	-	1	1.55	0	-
17B	0.4587	2	4.36	0	-	0	-	1	2.18	0	-	1	2.18	0	-
18A	0.6127	3	4.90	1	1.63	0	-	0	-	0	-	1	1.63	0	-
18B	0.7748	4	5.16	0	-	0	-	2	2.58	0	-	0	-	2	2.58
18C/MCF	1.1675	4	3.43	0	-	2	1.71	0	-	0	-	1	0.86	1	0.86
19A	1.1585	1	0.86	0	-	0	-	0	-	0	-	0	-	1	0.86
19B	0.6979	1	1.43	0	-	0	-	1	1.43	0	-	0	-	0	-
19C	1.0405	2	1.92	0	-	0	-	0	-	0	-	0	-	2	1.92
20A	1.4865	5	3.36	1	0.67	0	-	2	1.35	0	-	1	0.67	1	0.67
20B	0.9722	6	6.17	0	-	1	1.03	3	3.09	0	-	0	-	1	1.03
20C	1.119	1	0.89	0	-	0	-	1	0.89	0	-	0	-	0	-
20D	0.4602	2	4.35	0	-	0	-	1	2.17	1	2.17	0	-	0	-
21A	0.691	4	5.79	0	-	0	-	4	5.79	0	-	0	-	0	-
21B	0.887	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-
21C	0.8834	4	4.53	0	-	0	-	2	2.26	0	-	0	-	2	2.26
21D	0.3772	2	5.30	0	-	0	-	1	2.65	1	2.65	0	-	0	-
22A	1.7701	6	3.39	0	-	1	0.56	1	0.56	0	-	2	1.13	2	1.13
22B	1.0873	7	6.44	0	-	0	-	5	4.60	0	-	0	-	2	1.84
23A	1.8086	5	2.76	0	-	1	0.55	2	1.11	0	-	0	-	2	1.11
23B	1.1381	2	1.76	1	0.88	0	-	1	0.88	0	-	0	-	0	-
24A	0.3439	1	2.91	0	-	0	-	0	-	0	-	0	-	1	2.91
24B	0.7294	3	4.11	0	-	0	-	1	1.37	0	-	0	-	2	2.74
24C	0.2883	5	17.34	0	-	0	-	2	6.94	0	-	0	-	1	3.47
25A	1.4287	7	4.90	0	-	1	0.70	5	3.50	0	-	0	-	1	0.70
25B	1.0858	5	4.60	0	-	0	-	2	1.84	0	-	0	-	2	1.84
25C	1.3796	3	2.17	0	-	0	-	3	2.17	0	-	0	-	0	-
26A	0.3332	1	3.00	0	-	0	-	1	3.00	0	-	0	-	0	-
26B	0.603	3	4.98	0	-	1	1.66	1	1.66	0	-	0	-	1	1.66
28A	0.5692	6	10.54	0	-	1	1.76	0	-	0	-	0	-	5	8.78
28B	1.722	12	6.97	0	-	1	0.58	6	3.48	2	1.16	0	-	1	0.58
30A	0.7548	6	7.95	0	-	0	-	3	3.97	0	-	0	-	2	2.65
30B	0.1289	2	15.52	0	-	0	-	0	-	0	-	1	7.76	1	7.76
31A	0.29	1	3.45	0	-	0	-	1	3.45	0	-	0	-	0	-
31B	0.4329	3	6.93	0	-	0	-	2	4.62	0	-	0	-	1	2.31
CA01	1.0851	6	5.53	1	0.92	0	-	1	0.92	0	-	1	0.92	0	-
CA02	0.4856	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-
CA03	0.2180	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-
CA04	0.5725	1	1.75	0	-	0	-	1	1.75	0	-	0	-	0	-

CA05	0.5690	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-
CA06	0.4887	4	8.18	0	-	1	2.05	3	6.14	0	-	0	-	0	-	0	-
CA07	1.1411	5	4.38	0	-	0	-	2	1.75	0	-	0	-	0	-	3	2.63
CA08	0.3215	4	12.44	1	3.11	0	-	2	6.22	0	-	0	-	0	-	1	3.11
CA09	0.2522	2	7.93	0	-	0	-	1	3.97	0	-	0	-	0	-	1	3.97
CA10A	0.5607	4	7.13	0	-	0	-	0	-	0	-	0	-	0	-	3	5.35
CA10B	0.5559	5	8.99	1	1.80	0	-	1	1.80	1	1.80	0	-	0	-	2	3.60
CA11A	0.3141	3	9.55	2	6.37	0	-	0	-	0	-	0	-	0	-	1	3.18
CA11B	0.2662	1	3.76	0	-	0	-	0	-	0	-	0	-	0	-	1	3.76
CA12	0.3317	5	15.07	1	3.01	1	3.01	1	3.01	0	-	0	-	0	-	2	6.03
CA13	0.4362	5	11.46	0	-	0	-	1	2.29	0	-	0	-	0	-	4	9.17
CA14A	0.4538	5	11.02	0	-	0	-	4	8.81	0	-	0	-	0	-	1	2.20
CA14B	0.7641	4	5.23	2	2.62	0	-	0	-	0	-	0	-	0	-	2	2.62
CA15	0.7635	12	15.72	0	-	0	-	4	5.24	0	-	3	3.93	0	-	5	6.55
CA16	0.9274	13	14.02	3	3.23	0	-	2	2.16	0	-	0	-	1	1.08	6	6.47
CA17	1.2430	10	8.05	1	0.80	0	-	6	4.83	0	-	1	0.80	1	0.80	1	0.80
CA18	0.6244	3	4.80	0	-	0	-	1	1.60	0	-	0	-	0	-	2	3.20
CA19A	0.6070	6	9.88	0	-	0	-	5	8.24	0	-	0	-	0	-	1	1.65
CA19B	0.3698	3	8.11	0	-	0	-	2	5.41	0	-	0	-	0	-	1	2.70
CA20	0.5845	5	8.55	2	3.42	1	1.71	1	1.71	0	-	0	-	0	-	1	1.71
CA21	0.9262	1	1.08	0	-	0	-	0	-	0	-	0	-	0	-	1	1.08
CA22	0.3624	10	27.59	0	-	0	-	2	5.52	0	-	1	2.76	2	5.52	5	13.80
CA23	0.3619	3	8.29	0	-	0	-	1	2.76	0	-	0	-	1	2.76	1	2.76
CA24	0.2707	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-
CA25	0.4199	4	9.53	0	-	1	2.38	1	2.38	0	-	0	-	0	-	2	4.76
CA26	0.2589	1	3.86	0	-	0	-	0	-	0	-	0	-	0	-	1	3.86
CA27	0.2817	0	0.00	0	-	0	-	0	-	0	-	0	-	0	-	0	-
TA Total	57.379	276	4.81	12	0.21	20	0.35	123	2.14	8	0.14	9	0.16	17	0.30	86	1.50
CA Total	16.818	125	7.43	14	0.83	4	0.24	42	2.50	1	0.06	6	0.36	5	0.30	51	3.03
TOTAL	74.196	401	5.40	26	0.35	24	0.32	165	2.22	9	0.12	15	0.20	22	0.30	137	1.85

Table 9: Hunter Effort and Success Rates by Area




Training Area	# Deer Harvested	# of Hunt Trips	# of Hours Hunted	Hunt Trips per Deer Harvested	Hours per Deer Harvested
1A	4	56	285.7	14.0	71.4
1B	4	94	556.5	23.5	139.1
2	4	91	479.4	22.8	119.9
3A	5	118	588.6	23.6	117.7
3B	9	156	726.9	17.3	80.8
4	2	79	564.0	39.5	282.0
5A/MCA	10	119	602.3	11.9	60.2
5B	4	91	423.1	22.8	105.8
5C	2	37	180.6	18.5	90.3
6A	1	41	297.6	41.0	297.6
6B	6	140	833.4	23.3	138.9
6C	0	1	0.5	0.0	0.0
7A	11	137	878.7	12.5	79.9
7B	8	136	783.0	17.0	97.9
7C	11	187	1072.2	17.0	97.5
8A/MCC	5	145	824.6	29.0	164.9
8B	2	33	195.4	16.5	97.7
9A	2	49	265.7	24.5	132.8
9B/MCB	8	146	798.0	18.3	99.7
10A	4	92	583.1	23.0	145.8
10B	0	43	236.8	0.0	0.0
10C	3	53	312.1	17.7	104.0
11A	3	46	252.2	15.3	84.1
11B	3	85	403.0	28.3	134.3
12A	4	107	457.4	26.8	114.4
12B/MCD	8	132	624.8	16.5	78.1
12C	5	87	531.9	17.4	106.4
13A	1	100	424.7	100.0	424.7
13B/MCE	3	46	226.7	15.3	75.6
14A	2	82	450.5	41.0	225.2
14B	1	62	348.4	62.0	348.4
15A	3	122	762.9	40.7	254.3
15B	8	117	666.9	14.6	83.4
16A	4	56	310.2	14.0	77.5

16B	6	76	416.6	12.7	69.4
17A	1	57	256.5	57.0	256.5
17B	2	37	246.1	18.5	123.0
18A	3	71	323.6	23.7	107.9
18B	4	41	197.6	10.3	49.4
18C/MCF	4	106	651.7	26.5	162.9
19A	1	87	557.8	87.0	557.8
19B	1	62	452.3	62.0	452.3
19C	2	52	373.8	26.0	186.9
20A	5	74	515.8	14.8	103.2
20B	6	120	593.4	20.0	98.9
20C	1	100	546.4	100.0	546.4
20D	2	45	202.6	22.5	101.3
21A	4	76	401.8	19.0	100.4
21B	0	60	261.9	0.0	0.0
21C	4	129	662.5	32.3	165.6
21D	2	72	279.6	36.0	139.8
22A	6	88	507.5	14.7	84.6
22B	7	95	527.5	13.6	75.4
23A	5	186	883.8	37.2	176.8
23B	2	35	178.4	17.5	89.2
24A	1	83	629.6	83.0	629.6
24B	3	120	681.4	40.0	227.1
24C	5	80	407.2	16.0	81.4
25A	7	87	579.9	12.4	82.8
25B	5	78	386.3	15.6	77.3
25C	3	108	558.5	36.0	186.2
26A	1	46	235.0	46.0	235.0
26B	3	63	278.0	21.0	92.7
28A	8	84	581.4	10.5	72.7
28B	10	183	1114.7	18.3	111.5
30A	6	111	637.9	18.5	106.3
30B	2	27	121.0	13.5	60.5
31A	1	38	209.3	38.0	209.3
31B	3	68	301.8	22.7	100.6
CA01	6	150	1068.2	25.0	178.0
CA02	0	19	123.2	0.0	0.0
CA03	0	24	176.6	0.0	0.0

CA04	1	21	148.8	21.0	148.8
CA05	0	13	82.2	0.0	0.0
CA06	4	17	137.0	4.3	34.2
CA07	5	44	264.0	8.8	52.8
CA08	4	18	121.1	4.5	30.3
CA09	2	21	141.0	10.5	70.5
CA10A	4	26	184.8	6.5	46.2
CA10B	5	14	69.0	2.8	13.8
CA11A	3	21	117.1	7.0	39.0
CA11B	1	24	137.7	24.0	137.7
CA12	5	30	170.1	6.0	34.0
CA13	5	47	330.0	9.4	66.0
CA14A	5	82	621.1	16.4	124.2
CA14B	4	76	591.7	19.0	147.9
CA15	12	160	1065.1	13.3	88.8
CA16	13	143	1020.3	11.0	78.5
CA17	10	120	965.1	12.0	96.5
CA18	3	55	372.2	18.3	124.1
CA19A	6	45	299.5	7.5	49.9
CA19B	3	38	297.2	12.7	99.1
CA20	5	82	609.6	16.4	121.9
CA21	1	43	308.4	43.0	308.4
CA22	10	23	196.2	2.3	19.6
CA23	3	20	174.3	6.7	58.1
CA24	0	22	135.8	0.0	0.0
CA25	4	67	422.2	16.8	105.6
CA26	1	38	295.0	38.0	295.0
CA27	0	37	172.9	0.0	0.0
TA Total	276	5,863.0	32,405.2	21.2	117.4
CA Total	125	1,540.0	10,817.3	12.3	86.5
Total	401	7,403.0	43,222.5	18.5	107.8


Historical Data Comparison

Chart 1: Harvest Sex Ratio



Historical Data Comparison

Chart 2: Buck Harvest Age Structure



Historical Data Comparison

Chart 3: Doe Harvest Age Structure




Chart 4: Training Area and Controlled Access Area Comparison

Chart 5: Historical Buck to Doe Harvest Ratios




Table 10: Reproductive Statistics Comparison

	2025-2026	2024-2025	2023-2024
Fawn to Doe Ratio: # of fawns per bearing age (2.5+ yr old) doe harvested	0.30	0.46	0.63
% Fawns in the total antlerless harvest	19.6%	26.2%	32.3%
% Fawns in the total deer harvest	10.2%	12.1%	13.5%
Lactation Rate: for 2.5 yr olds	9.1%	11.1%	66.7%
Lactation Rate: for 3.5 yr olds	48.3%	52.5%	55.6%

Chart 6: Comparison Hunting Trips